



 **BADU[®]**

Counter Swim Units

Since the early 1960s the BADU brand has been linked with everything that brings a pool to life: pumps, counter swim units and massage nozzles.


If you're looking for the best, then BADU is absolutely right for you and your customers.

Counter Swim Units

Add a bit of movement to your pool and your life.

There are powerful BADUJET counter swim units to meet everyone's taste – from dreamy, gentle waves to powerful currents for cardio and fitness training.

A range of models are available, from modest to luxurious and for new and existing pools.






BADUJET Perla

A powerful and efficient system designed to boost fun and freedom in medium-sized pools. A 60° directional swivel nozzle controls the flow volume to meet all your requirements from relaxation to high powered exercise. By adjusting the power switch, pearly air bubbles can also be introduced.

The integrated LED light is available in both white or multicolour and creates the perfect atmosphere to enjoy a restful evening in the glow of your pool. The BADUJET can be fitted with an easy-care, high quality, wood look design inlay.

Technical Specifications and Dimensions

	Single Phase		Three Phase	
Code	12 82 074 050	12 82 074 055	12 82 074 060	12 82 074 065
Colour of LED	White	Multicolour	White	Multicolour
Pump flow rate	40 m ³ /hr		40 m ³ /hr	
Voltage	1 Ø 230V		3 Ø+N 400/230V	
Power input P1	2.30 kW		2.10 kW	
Power output P2	1.60 kW		1.60 kW	
Number of nozzles (diameter 40 mm)	1		1	
Flow pressure at nozzle	0.90 bar		0.90 bar	
Flow velocity in centre 2 m from the nozzle	1.10 m/s		1.10 m/s	
Maximum massage pressure	1.20 bar		1.20 bar	
Multi-directional swivel nozzle	60°		60°	








BADUJET Riva

The power of the BADUJET Riva offers that something extra for the active sporty type: the powerful flow from an adjustable, swivelling nozzle transforms the pool and allows you to swim without having to turn. After a workout the wave and bubble bath or underwater massage provide well-earned comfort and relaxation.

The integrated LED light is available in multicolour or white and bathes your surroundings in a soft and tranquil light. The attractive design of the unit can be complemented with an easy-care, high quality, wood look design inlay.

Technical Specifications and Dimensions

	Single Phase		Three Phase	
Code	12 82 074 070	12 82 074 075	12 82 074 080	12 82 074 085
Colour of LED	White	Multicolour	White	Multicolour
Pump flow rate	54 m ³ /hr		58 m ³ /hr	
Voltage	1 Ø 230 V		3 Ø+N 400/230 V	
Power input P1	2.90 kW		3.30 kW	
Power output P2	2.20 kW		2.60 kW	
Number of nozzles (diameter 40 mm)	1		1	
Flow pressure at nozzle	1.00 bar		1.10 bar	
Flow velocity in centre 2m from the nozzle	1.15 m/s		1.20 m/s	
Maximum massage pressure	1.60 bar		1.60 bar	
Multi-directional swivel nozzle	60°		60°	






BADUJET Stella

Feel the class and power penetrating through the jets of the Stella. The sheer strength of the two swivelling nozzles will push your limits. Thanks to the adjustable flow rate you can adapt the system to your specific needs and to the size of your pool.

It goes without saying that this power packet also offers the complete range of pampering you deserve. The LED ambient lighting provides the perfect conditions for late-night exercise or for a relaxing end to the day in your pool. Upon request the BADUJET Stella can be fitted with an easy-care, high quality, wood look design inlay.

Technical Specifications and Dimensions

	Three Phase	
Code	12 82 074 090	12 82 074 095
Colour of LED	White	Multicolour
Pump flow rate	75 m ³ /hr	
Voltage	3 Ø+N 400/230 V	
Power input P1	3.80 kW	
Power output P2	3.00 kW	
Number of nozzles (diameter 40 mm)	2	
Flow pressure at nozzle	1.00 bar	
Flow velocity in centre 2 m from the nozzle	1.40 m/s	
Maximum massage pressure	1.60 bar	
Multi-directional swivel nozzle	60°	






BADUJET Wave

This powerful counter swim unit has all the attractions required for your dream pool: underwater massage, waves and endless no-turn swimming. The air intake for an air bubble bath is easily adaptable. The built-in LED lights are available in multicolour or white, visibly transforming the evening hours at the pool.

Technical Specifications and Dimensions

	Single Phase		Three Phase	
Installation kit	12 82 071 520		12 82 071 520	
Completion kit	12 82 072 631	12 82 072 636	12 82 072 633	12 82 072 638
Colour of LED	White	Multicolour	White	Multicolour
Pump flow rate	54 m ³ /hr		58 ³ /hr	
Voltage	1ø 230 V		3 ø+N 400/230 V	
Power input P1	2.89 kW		3.18 kW	
Power output P2	2.20 kW		2.60 kW	
Number of nozzles (diameter 40 mm)	1		1	
Flow pressure at nozzle	1.00 bar		1.10 bar	
Flow velocity in centre 2 m from the nozzle	1.10 m/s		1.20 m/s	
Maximum massage pressure	1.40 bar		1.60 bar	
Multi-directional swivel nozzle	60°		60°	






BADUJET Vogue

Made from high quality stainless steel, these BADUJET Vogue units meet the highest demands in all areas. Created by world class product designers, it guarantees a definite wow factor in every pool.

The Vogue creates pure luxury: no-turn swimming, underwater massage, wave and bubble bath while integrated LED lights, available in white or multicolour set the scene for a relaxed evening.

Technical Specifications and Dimensions

	Single Phase		Three Phase	
Installation kit	12 82 071 520		12 82 071 520	
Completion kit	12 82 072 641	12 82 072 651	12 82 072 643	12 82 072 653
Colour of LED	White	Multicolour	White	Multicolour
Pump flow rate	54 m ³ /hr		58 m ³ /hr	
Voltage	1 Ø 230 V		3 Ø+N 400/230 V	
Power input P1	2.89 kW		3.18 kW	
Power output P2	2.20 kW		2.60 kW	
Number of nozzles (diameter 40 mm)	1		1	
Flow pressure at nozzle	1.00 bar		1.10 bar	
Flow velocity in centre 2 m from the nozzle	1.10 m/s		1.20 m/s	
Maximum massage pressure	1.40 bar		1.60 bar	
Multi-directional swivel nozzle	60°		60°	





BADUJET Vogue Deluxe


Made from high quality stainless steel, these BADUJET Vogue units meet the highest demands in all areas. Created by world class product designers, it guarantees a definite wow factor in every pool.

Combined with the optional handle, the BADUJET Vogue has received a Red Dot Design Award for international design.

Stainless steel additions to the deluxe version of the Vogue include the air regulator, all control elements and adjustable nozzle.


Technical Specifications and Dimensions

	Single Phase		Three Phase	
Installation kit	12 82 071 520		12 82 071 520	
Completion kit	12 82 072 646	12 82 072 656	12 82 072 648	12 82 072 658
Colour of LED	White	Multicolour	White	Multicolour
Pump flow rate	54 m ³ /hr		58 m ³ /hr	
Voltage	1 Ø 230V		3 Ø+N 400/230V	
Power input P1	2.89 kW		3.18 kW	
Power output P2	2.20 kW		2.60 kW	
Number of nozzles (diameter 40 mm)	1		1	
Flow pressure at nozzle	1.00 bar		1.10 bar	
Flow velocity in centre 2m from the nozzle	1.10 m/s		1.20 m/s	
Maximum massage pressure	1.40 bar		1.60 bar	
Multi-directional swivel nozzle	60°		60°	



Dimensions in brackets - version without ball valves

Floor drainage




BADUJET Primavera

The powerful BADUJET Primavera offers a stepless, adjustable flow rate through two swivel nozzles, which can be adjusted to suit your personal needs. From continuous “on-the-spot” swimming to a stimulating wellness programme, this unit meets all your needs.

The classic design of the Primavera means it can be integrated into almost every type of new installation and with an integrated handrail and face plate crafted from stainless steel, the BADUJET Primavera promises to enhance the look of any new swimming pool.

Technical Specifications and Dimensions

	Single Phase		Three Phase			
Installation kit	12 82 071 720		12 82 071 720			
Completion kit	12 82 072 731	12 82 072 741	12 82 072 733	12 82 072 743	12 82 072 763	12 82 072 773
Colour of LED	White	Multicolour	White	Multicolour	White	Multicolour
Pump flow rate	75 m ³ /hr		75 m ³ /hr		85 m ³ /hr	
Voltage	1ø 230V		3 ø+N 400/230V		3 ø+N Δ 400V	
Power input P1	3.90 kW		3.80 kW		4.66 kW	
Power output P2	3.00 kW		3.00 kW		4.00 kW	
Number of nozzles (diameter 40 mm)	2		2		2	
Flow pressure at nozzle	1.00 bar		1.00 bar		1.00 bar	
Flow velocity in centre 2 m from the nozzle	1.10 m/s		1.10 m/s		1.20 m/s	
Maximum massage pressure	1.60 bar		1.60 bar		1.80 bar	
Multi-directional swivel nozzle	60°		60°		60°	






BADUJET Primavera Deluxe

The powerful BADUJET Primavera Deluxe offers a stepless, adjustable flow rate through two swivel nozzles, which can be adjusted to suit your personal needs. From continuous “on-the-spot” swimming to a stimulating wellness programme, this unit meets all your needs.

The classic design of the Primavera means it can be integrated into almost every type of new installation and with an integrated handrail and face plate crafted from stainless steel, the BADUJET Primavera promises to enhance the look of any new swimming pool. Stainless steel additions to the deluxe version of the Primavera include the air regulator, all control elements and both adjustable nozzles.

Technical Specifications and Dimensions

	Single Phase		Three Phase			
Installation kit	12 82 071 720		12 82 071 720			
Completion kit	12 82 072 736	12 82 072 746	12 82 072 738	12 82 072 748	12 82 072 768	12 82 072 778
Colour of LED	White	Multicolour	White	Multicolour	White	Multicolour
Pump flow rate	75 m ³ /hr		75 m ³ /hr		85 m ³ /hr	
Voltage	1 Ø 230 V		3 Ø+N 400/230 V		3 Ø+N Δ 400 V	
Power input P1	3.90 kW		3.80 kW		4.66 kW	
Power output P2	3.00 kW		3.00 kW		4.00 kW	
Number of nozzles (diameter 40 mm)	2		2		2	
Flow pressure at nozzle	1.00 bar		1.00 bar		1.00 bar	
Flow velocity in centre 2 m from the nozzle	1.10 m/s		1.10 m/s		1.20 m/s	
Maximum massage pressure	1.60 bar		1.60 bar		1.80 bar	
Multi-directional swivel nozzle	60°		60°		60°	





Accessories

We live for the pool experience.

It's often the small things that make a big difference.

The difference is BADU.



Wireless Control

Relaxing on your own terms has never been easier. Control all the functions of your BADUJET counter swim unit from the comfort of your chair. The BADUJET wireless control has a 40 meter range for your convenience and there is hardly an obstacle that will get in the way.

The BADUJET wireless control can also "swim", so whether in or around the pool this control is 100% waterproof and adapts perfectly to your environment.

Code

12 82 075 100

Massage Hose for 40mm Nozzle

A 1.50m long, connection coupling and massage nozzle, completely assembled. Fits all counter swim unit jet nozzles.

Code

12 82 075 001



Massage Hose with Pulsator

A 1.50m long, connection coupling and pulsating massage nozzle (pulsator) attached. For 40 mm nozzle. Fits all counter swim unit jet nozzles.

Code

12 82 075 006



Stainless Steel Handrail

Produced from high quality stainless steel to provide additional stability for users and to improve the experience when using a fixed massage attachment.

Code

12 82 075 035 25mm x 250mm

12 82 075 040 35mm x 550mm



Stainless Steel Handrail

Upgrade the BADUJET Wave fitness unit according to your preferences and needs by adding a high quality stainless steel handle for added stability.

Code

12 82 072 690



Ball Valve Kit

For BADUJET Vogue and BADUJET Wave.

Code

12 82 072 660



Stainless Steel Handrail

Transform the BADUJET Vogue and Vogue Deluxe according to your preferences and needs by adding a high quality stainless steel handle for added stability.

Code

12 82 072 695



Kit for Tiled Pools

For BADUJET Primavera and Primavera Deluxe.

Code

12 82 071 725



Wood Look Design Inlay

High value, design inlay with a natural wood appearance for installation in our overhang counter swim units BADUJET Perla, Riva and Stella. The design inlay is supplied separately and assembled by the customer.

Code

12 82 075 060



Telescopic Support Leg

A 'telescopic' support leg is available for BADU overhang counter swim units for above-ground pools that don't have a large enough coping for support.

The foot provides stability for the unit and is height adjustable.

Code

12 82 075 110

Warranty

A two year warranty applies to every BADU product. Should anything not function as intended, simply contact us at Golden Coast. We will be happy to help you.

Further Information

To find out more or for advice on the range of BADU products available from Golden Coast, please contact us on 01271 378 100 or email swimmer@goldenc.com.



Distributed in the UK by Golden Coast Ltd

Golden Coast Ltd | Fishleigh Road | Roundswell Commercial Park West | Barnstaple | Devon | EX31 3UA

Phone: +44 (0) 1271 378 100 | Fax: +44 (0) 1271 371 699 | Email: swimmer@goldenc.com | Web: www.goldenc.com

 www.facebook.com/goldencoastltd

 twitter.com/goldencoastltd

©2018 Golden Coast Ltd

As a quality assured company we reserve the right to alter and improve the specification of products as deemed necessary.

Registered in England and Wales 2420044 VAT Reg. No 540 4110 02

