

# Adheseal 290 ml Light Grey

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
First edition: 13-6-1997 Last revision: 12-1-2016 Version: 9.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Name : Adheseal 290 ml Light Grey  
Product number : 01.2449.0070

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use  
Use of the substance or preparation : Adheseal is a unique MS polymer based glue and sealant that retains its elasticity. The product is suitable for gluing and sealing and provides perfect adhesion to many difficult surfaces such as metal, plastic, rubber, glass and Plexiglass

##### 1.2.2. Uses advised against

No information available

#### 1.3. Details of the supplier of the safety data sheet

PCS Innotec International NV  
Schans 4  
BE - 2480 Dessel  
T.: +32 (0) 14 32 60 01  
F.: +32 (0) 14 32 60 12  
environment@PCS-innotec.com

Distributor:  
Innotec Supplies Ltd.  
Unit 25 Glenmore Business Park,  
Telford RD  
UK - SP2 7GL Salisbury, Wiltshire  
T.: +44 (0)1722411744  
F.: +44 (0)1722411788  
info@innotecworld.com

#### 1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch):  
BIG : +32 (0) 14 58 45 45

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) no 1272/2008 (CLP)

Not classified

#### Adverse physicochemical, human health and environmental effects

No information available

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request

# Adheseal 290 ml Light Grey

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.3. Other hazards

No information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH annex II

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General advice	: Get medical advice/attention if you feel unwell.
Inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Wash with plenty of soap and water. Rinse with plenty of water.
Eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Ingestion	: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Water spray. Carbon dioxide. Alcohol resistant foam.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Nitrogen oxides. Carbon monoxide. Carbon dioxide. metallic oxide.

### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Wear suitable protective clothing. Keep upwind.

#### 6.1.1. For non-emergency personnel

Protective equipment : Refer to protective measures listed in sections 7 and 8.  
Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. This product and its container must be disposed of in a safe way, and as per local legislation.  
Other information : Ensure adequate ventilation.

### 6.4. Reference to other sections

Stable in handling and storage conditions as recommended in section 7. Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning; see section 13.

# Adheseal 290 ml Light Grey

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical condition(s) : Store in a well-ventilated place. Impermeable underground / retention basin. Protect against frost. Protect from heat and direct sunlight.  
Special rules on packaging : Keep container tightly closed and dry. Keep only in original container.

#### 7.3. Specific end use(s)

No information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No information available

#### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Gloves. Safety glasses.

Hand protection:

In case of repeated or prolonged contact wear gloves. Where hand contact with the product may occur, the use of gloves (approved according to the EN374 standard) made from the following materials may provide suitable chemical protection: Butyl rubber (Layer thickness : > 0,5 mm), Neoprene (Layer thickness: > 0,4 mm), Nitrile rubber (Layer thickness : > 0,35 mm), rubber gloves (Layer thickness : > 0,5 mm). For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes. For short-term/splash protection we recommend the same, but recognise that suitable gloves offering this level of protection may not be available. In this case a lower breakthrough time may be acceptable as long as appropriate glove maintenance and replacement regimes are rigorously followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Depending on model and material, glove thickness generally should be greater than 0,35 mm. Suitability and durability of a glove is dependent on usage (= frequency and duration of contact), chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly.

Eye protection:

In case of splash hazard: safety glasses

Skin protection:

Wear suitable protective clothing

Respiratory protection:

Not required where ventilation is sufficient



### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Appearance : Viscous.  
Colour : Light grey.  
Odour : Neutral.  
Odour threshold : No data available  
pH : No data available  
Evaporation rate : No data available  
Melting point/melting range : No data available  
Freezing point : No data available  
Boiling point/range : No data available  
Flash point : > 150 °C  
Auto-ignition temperature : Not self-igniting

# Adheseal 290 ml Light Grey

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Decomposition temperature	: > 250 °C Decomposes above 250°C.
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Vapour density	: No data available
Relative density (water = 1)	: 1,46 (20 °C)
Solubility	: Water: Not miscible or difficult to mix.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

Minimum ignition energy	: <=
V.O.C. (V.O.S.)	: 0 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

On burning: release of nitrous vapours, carbon monoxide - carbon dioxide. On burning: formation of metallic fumes.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Moist air.

### 10.4. Conditions to avoid

No information available

### 10.5. Incompatible materials

No information available

### 10.6. Hazardous decomposition products

CO. CO2. NOx.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

No information available

### 12.2. Persistence and degradability

No information available

### 12.3. Bioaccumulative potential

No information available

### 12.4. Mobility in soil

No information available

# Adheseal 290 ml Light Grey

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.5. Results of PBT and vPvB assessment

No information available

### 12.6. Other adverse effects

Additional information : Avoid release to the environment

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.  
Waste / unused products : Dispose of the small quantities as household waste.  
European List of Waste (LoW) code : 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09  
15 01 02 - plastic packaging

## SECTION 14: Transport information

In accordance with ADR / IMDG

### 14.1. UN number

UN-No. (ADR) : Not applicable  
UN-No. (IMDG) : Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not applicable

#### IMDG

Transport hazard class(es) (IMDG) : Not applicable

### 14.4. Packing group

Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Further information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

No data available

#### - Transport by sea

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU Regulations

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances

V.O.C. (V.O.S.) : 0 g/l

#### 15.1.2. National regulations

No information available

# Adheseal 290 ml Light Grey

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acronyms:

	ACGIH = American Conference of Governmental Industrial Hygienists
	ADR = Accord européen sur le transport des marchandises dangereuses par Route
	ATE = Acute Toxicity Estimate
	CAS = Chemical Abstracts Service
	CLP = Classification, labelling and packaging
	CSR = Chemical Safety Report
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No-Effect Level
	DPD = Dangerous Preparation Directive
	DSD = Dangerous Substance Directive
	EINECS/ELINCS = European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	HTP = Haitallisiksi tunnetut pitoisuudet
	IATA = International Air Transport Association
	IMDG = International Maritime Code for Dangerous Goods
	ICAO = International Civil Aviation Organization
	IOELV = Indicative Occupational Exposure Limit Value (EU)
	LC50 = Lethal concentration, 50 percent
	LD50 = Lethal dose, 50 percent
	LEL = Lower Explosion Limit
	MAK = Maximale Arbeitsplatzkonzentrationen
	MAL-kode = Måleteknisk Arbejdshygienisk Luftbehov
	N.O.S. = Not Otherwise Specified
	NDS = Najwyższe Dopuszczalne Stężenie
	NDSch = Najwyższe Dopuszczalne Stężenie Chwilowe
	OEL = Occupational Exposure Limits
	PBT = Persistent, bioaccumulative and toxic
	PNEC = Predicted No-Effect Concentration
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	STOT RE = specific target organ toxicity repeated exposure
	STEL = Short term exposure limit
	RID = Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail).
	STOT SE = specific target organ toxicity single exposure
	SVHC = Substance of Very High Concern
	TLV = Threshold Limit Value
	TRGS = Technischen Regeln für Gefahrstoffe
	TWA = time weighted average
	UEL = Upper Explosion Limit
	VLA-EC = valores límite ambientales para la exposición de corta duración
	VLA-ED = valores límite ambientales para la exposición diaria
	VLE = Valeur Limite d'exposition
	VME = Valeur Limite de Moyenne d'exposition
	VOC = Volatile Organic Compounds
	vPvB = very Persistent and very Bioaccumulative
	WGK = Wassergefährdungsklasse

Full text of H- and EUH-statements:

EUH210	Safety data sheet available on request
--------	--

Section(s) changed compared to the previous issue 4,5,7,9,10,16

Previous revision 11/08/2015

# Adheseal 290 ml Light Grey

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

---

*Disclaimer with regard to REACH:*

*The information provided in this Safety Data Sheet is consistent with the information in the Chemical Safety Report, as far as this information was available at the time of compilation (see last revision date).*

*Disclaimer:*

*The information of this Safety Data Sheet is based on the present state of our knowledge and on current EC and national laws, as the users' working conditions are beyond our knowledge and control. The user is always responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this Safety Data Sheet provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The information provided relates only to the specific product designated and may not be valid for such product used in combination with any other product. The product must not be used for any purposes other than those specified without first obtaining written handling instructions.*