

# **SAFETY DATA SHEET**

# 1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND THE COMPANY/UNDERTAKING

Product Name: Probe Cleaning Fluid

Revision number:	1	Date of issue:	3 <sup>rd</sup> September 2002
Item number:	PR4658	MSDS number:	184
Description:	Corrosive Liquid, N.O.S. (hydrochloric and sulphuric acid)		
Manufacturer:	GLB Pool and Spa		
Manufacturer's	Laporte Water Technologies, Inc		
address:	1400 Bluegrass Lakes Parkway		
	Alpharetta, GA 30004		
Manufacturer's	001 (770) 521-5999		
Phone Number:			

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	PEL	TLV
Hydrochloric Acid	7647-01-0	7 ppm	7 ppm
Sulphuric Acid	7664-93-9	$1 \text{ mg/m}^3$	$1 \text{ mg/m}^3$
Phosphoric Acid	7664-38-21	$1 \text{ mg/m}^3$	$1 \text{ mg/m}^3$
(Carboxymethyl)	70750-46-8	Not established	Not established
bis (2-OH-et)			
Talommon OH			

## 3. HAZARDS IDENTIFICATION

Main Hazards:	Corrosive	
R Phrases:	R36/37/38 Irritating to eyes, respiratory systems and skin	
S Phrases:	S(1/2) Keep locked up and out of reach of children	
	S26 In case of contact with eyes, rinse immediately with plenty	
	of water and seek medical advice	
	S45 In case of accident or if you feel unwell seek medical	
	advice immediately (show the label where possible)	
Hazard	Xi Irritant	
Identification:		

### 4. FIRST-AID MEASURES

Eyes:	Flush with water for 15 minutes – call a physician
Skin:	Flush with water for 15 minutes – call a physician
Ingestion:	Do not induce vomiting. Drink plenty of water. Call a physician

Inhalation:	Remove to fresh air – call a physician

#### 5. FIRE-FIGHTING MEASURES

Flash Point:	Not Flammable
Extinguishing media:	Use extinguishing media suitable for
	surrounding fire
Fire fighting comments:	Wear self contained breathing apparatus
Unusual Fire and Explosion Hazards:	Burning causes oxides of carbon and
_	silicone.

#### 6. ACCIDENTAL RELEASE MEASURES

Spill mitigation:	Can be neutralised with soda ash. Flush
	with large amounts of water

#### 7. HANDLING AND STORAGE

Do not get in eyes, on skin or clothing. In case of contact, immediately flush with water for 15 minutes. Call a physician.

Rinse areas of use very well. KEEP OUT OF THE REACH OF CHILDREN

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Respiratory protection:	None generally needed
Ventilation:	Maintain adequate ventilation
Eye/skin protection:	Rubber gloves, safety goggles
Protective clothing:	Coveralls, plastic or rubber apron

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Pale amber liquid
Boiling point:	>100°C
Specific gravity:	1.1 - 1.2
PH	0-2
Solubility in water @ 20°C:	Complete
Odour:	Mild

### 10. STABILITY AND REACTIVITY

Conditions to avoid:	Most metals, strong oxidisers, sulphides
Incompatibility (materials to avoid):	Avoid contamination with alkalis or
	amines
Hazardous polymerisation:	Will not occur
Hazardous decomposition products:	Heat can cause evolution of hydrogen
	chloride

## 11. TOXICOLOGICAL INFORMATION

NOT AVAILABLE

#### 12. ECOLOGICAL INFORMATION

NOT AVAILABLE

#### 13. DISPOSAL CONSIDERATIONS

Neutralise with soda ash. Dispose in accordance with local, state and federal regulations.

#### 14. TRANSPORT INFORMATION

Proper Shipping Name:	Corrosive liquid, NOS, (hydrochloric and sulphuric acid)
Hazard Class	8, PGII
UN Number	UN1760

#### 15. REGULATORY INFORMATION

Harmonised system number:	
Toxic substances control act (USA)	
EINECS No:	
R Phrases:	R36/37/38
S Phrases:	S(1/2), 26, 45
Hazard classification:	Xi Irritant

#### 16. OTHER INFORMATION

SDS revision status:	First revision

This material safety data sheet (SDS) has been prepared in compliance with the relevant EU directives and regulations, using the SDS provided by GLB on TLC, revision date 22/11/1999. The information in this SDS should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product. Certikin International Ltd believe this information to be reliable and up to date as of the date of publication, but makes no warranty that it is. Additionally, if this material safety data sheet is more than three years old, you should contact Certikin International at the phone number listed below to make certain that this sheet is current.

Certikin International Ltd
Unit 9, Witan Park,
Avenue Two,
Station Lane Industrial Estate
Witney

Tel: 01993 777200
Fax: 01993 778623

Witney, OXON OX28 4JF