

Page 1 of 9 Creation Date: 03 May 2012 Revision Date: 19 March 2018

Legal Disclaimer

The information and recommendations in this publication are, to the best of our knowledge, information and belief, accurate at the date of publication. Nothing herein is to be construed as a warranty, express or implied. In all cases it is the responsibility of the users to determine the applicability of such information or the suitability of any products for their own particular purpose.

1. Section 1: Identification of the substance/mixture and the company/undertaking.

1.1 Product identifier.

Product name: Swimmer Leak Sealer
Product code: 1189188050 1 Litre

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Uses: Concentrated sealing agent for swimming pools.

1.3 Details of the supplier of the safety data sheet.

Name of supplier: Golden Coast Ltd

Address of supplier: Fishleigh Road, Roundswell Commercial Park West, Barnstaple,

Devon. EX31 3UA

Web: www.goldenc.co
Phone number: 01271 378 100
Responsible person: Jamie Adams

Email: swimmer@goldenc.com

1.4 Emergency phone number: 01271 378 100 (office hours)

2. Section 2: Hazards identification.

2.1 Classification of the substance or mixture.

Classification according to Regulation (EC) No 1272/2008

Hazard Class Hazard Statements

Eye Dam 1 H318
Skin Irrit 2 H315
STOT SE 3: H335

For the full text of the H statements mentioned in this section see Section 16

Human Health: See section 11 for toxicological information
Physical & Chemical Hazards: See section 9 for physicochemical information
Potential environmental effects: See section 12 for environmental information

2.2 Label elements.

Labelling according to Regulation (EC) No 1272/2008

Hazard Pictograms: GHS05: Corrosion

GHS07: Exclamation mark

Hazard symbols:









Page 2 of 9 Creation Date: 03 May 2012 Revision Date: 19 March 2018

Legal Disclaimer

The information and recommendations in this publication are, to the best of our knowledge, information and belief, accurate at the date of publication. Nothing herein is to be construed as a warranty, express or implied. In all cases it is the responsibility of the users to determine the applicability of such information or the suitability of any products for their own particular purpose.

Signal word: Danger

Hazard statements: H315: Causes skin irritation

H318: Causes serious eye DamageH335: May cause respiratory irritation

Precautionary statements: P102: Keep out of reach of children

P261: Avoid breathing dust/fume/gas/mist/vapours/spray P280: Wear protective gloves/protective clothing/eye

protection/face protection

P302+350: IF ON SKIN: Wash with plenty of soap and water P304+340: IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical

advice/attention.

P501: Dispose of contents/container to

local/regional/national/international regulations

2.3 Other hazards.

PBT This product is not identified as a PBT/vPvB substance

3. Section 3: Composition/information on ingredients.

3.2 Mixtures.

SODIUM SILICATE – REACH registered number(s): 01-2119448725-31-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-687-4	1344-09-8	-	Skin Irrit. 2: H315;	40-60%
			Eye Dam. 1: H318;	
			STOT SE 3: H335	

Contains: Mixture of listed substances with non hazardous additions.







Page 3 of 9 Creation Date: 03 May 2012 Revision Date: 19 March 2018

Legal Disclaimer

The information and recommendations in this publication are, to the best of our knowledge, information and belief, accurate at the date of publication. Nothing herein is to be construed as a warranty, express or implied. In all cases it is the responsibility of the users to determine the applicability of such information or the suitability of any products for their own particular purpose.

4. Section 4: First aid measures.

4.1 Description of first aid measures.

General Advice: Take off all contaminated clothing immediately.

If inhaled: Remove casualty from exposure ensuring one's own safety

whilst doing so.

In case of skin contact: Remove all contaminated clothes and footwear immediately

unless stuck to skin. Wash immediately with plenty of soap and

water

In case of eye contact: Check for and remove any contact lenses. Open eyes wide

apart. Rinse opened eye with plenty of water at least 15

minutes. Get medical attention.

If swallowed: Wash out mouth with water. Do not induce vomiting. If

conscious, give half a litre of water to drink immediately.

Consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed.

If inhaled: There may be irritation of the throat with a feeling of tightness

in the chest

In case of skin contact: There may be irritation and redness at the site of contact

In case of eye contact: There may be pain and redness. The eyes may water profusely.

There may be severe pain. The vision may become blurred.

May cause permanent damage

If swallowed: There may be soreness and redness of the mouth and throat.

Nausea and stomach pain may occur.

Delayed/immediate effects: Immediate effects can be expected after short-term exposure. Immediate/special treatment: Eye bathing equipment should be available on the premises.

5. Section 5: Firefighting measures.

5.1 Extinguishing media.

Extinguishing media: Use extinguishing measure that are appropriate to local

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture.

Exposure hazards: In combustion emits toxic fumes

5.3 Advice for firefighters.

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective

clothing to prevent contact with skin and eyes.

Further information: Collect contaminated fire extinguishing water separately.







Page 4 of 9 Creation Date: 03 May 2012 Revision Date: 19 March 2018

Legal Disclaimer

The information and recommendations in this publication are, to the best of our knowledge, information and belief, accurate at the date of publication. Nothing herein is to be construed as a warranty, express or implied. In all cases it is the responsibility of the users to determine the applicability of such information or the suitability of any products for their own particular purpose.

6. Section 6: Accidental release measures.

6.1 Personal precautions, protective equipment and emergency procedures.

Personal Precautions: Mark out the contaminated area with signs and prevent access

to unauthorised personal. Do not attempt to take action without suitable protective clothing – see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of

liquid.

6.2 Environmental precautions.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage

using bunding

6.3 Methods and material for containment and cleaning up.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled

salvage container for disposal by an appropriate method.

6.4 Reference to other sections.

See Section 8 for information on personal protection equipment

7. Section 7: Handling and storage.

7.1 Precautions for safe handling.

Hygiene measures: Avoid direct contact with the substance. Ensure there is

sufficient ventilation of the area. Avoid the formation or

spread of mists in the air.

7.2 Conditions for safe storage, including any incompatibilities.

Storage conditions: Store in a cool, well ventilated area. Keep container tightly

closed.

7.3 Specific end use(s).

No data available







Page 5 of 9 Creation Date: 03 May 2012 Revision Date: 19 March 2018

Legal Disclaimer

The information and recommendations in this publication are, to the best of our knowledge, information and belief, accurate at the date of publication. Nothing herein is to be construed as a warranty, express or implied. In all cases it is the responsibility of the users to determine the applicability of such information or the suitability of any products for their own particular purpose.

8. Section 8: Exposure controls/personal protection.

8.1 Control parameters.

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	-	2 mg/m3	-	-

DNEL/PNEC Values

Hazardous ingredients:

SODIUM SILICATE

Туре	Esposure	Value	Population	Effect
DNEL	Inhalation	5.61 mg/m3	Workers	Systemic
DNEL	Dermal	1.59 mg/kg/day	Workers	Systemic
DNEL	Oral	0.80 mg/m3	Consumers	Systemic
DNEL	Inhalation	1.38 mg/m3	Consumers	Systemic
DNEL	Dermal	0.80 mg/kg/day	Consumers	Systemic
PNEC	Fresh water	7.5 mg/l	-	-
PNEC	Marine water	1 mg/l	-	-
PNEC	-	-	-	-

8.2 Exposure controls.

Engineering measures Ensure adequate ventilation of the working area.

Personal protective equipment

Respiratory protection: Self-contained breathing apparatus must be available in case of

emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

9. Section 9: Physical and chemical properties.

9.1 Information on basic physical and chemical properties.

Form: Liquid
Colour: Colourless
Odour: Odourless
Solubility in water: Soluble
Relative density: 1.5

9.2 Other Information

No data available







Page 6 of 9 Creation Date: 03 May 2012 Revision Date: 19 March 2018

Legal Disclaimer

The information and recommendations in this publication are, to the best of our knowledge, information and belief, accurate at the date of publication. Nothing herein is to be construed as a warranty, express or implied. In all cases it is the responsibility of the users to determine the applicability of such information or the suitability of any products for their own particular purpose.

10. Section 10: Stability and reactivity.

10.1 Reactivity.

Reactivity Stable under recommended transport or storage conditions

10.2 Chemical stability.

Chemical stability Stable under normal conditions

10.3 Possibility of hazardous reactions.

Hazardous reactions Hazardous reactions will not occur under normal transport or

storage conditions. Decomposition may occur on exposure to

conditions or materials listed below

10.4 Conditions to avoid.

Conditions to avoid Heat

10.5 Incompatible materials.

Materials to avoid Strong acids. Strong bases. Strong oxidising agents

10.6 Hazardous decomposition products.

Haz. Decomp. Products: In combustion emits toxic fumes

11. Section 11: Toxicological information.

11.1 Information on toxicological effects.

Toxicity values:

Hazardous ingredients:

SODIUM SILICATE				
ORAL	RAT	LD50	1300 – 220	Mg/kg

Relevant hazards for product:

Hazard	Route	Route	Basis
Skin corrosion/irritation		DRM	Hazardous : calculated
Serious eye damage/irritation		OPT	Hazardous : calculated
STOT-single exposure		INH	Hazardous : calculated

Excluded hazards for substance:

Moraded Hazards for Substance				
Hazard	Route	Basis		
Acute toxicity (ac. Tox. 4)	-	No hazard: calculated		
Acute toxicity (ac. Tox. 3)	-	No hazard: calculated		
Acute toxicity (ac. Tox. 2)	-	No hazard: calculated		
Acute toxicity (ac. Tox. 1)	-	No hazard: calculated		
Respiratory/skin sensitisation	-	No hazard: calculated		
Germ cell mutagenicity	-	No hazard: calculated		







Page 7 of 9 Creation Date: 03 May 2012 Revision Date: 19 March 2018

Legal Disclaimer

The information and recommendations in this publication are, to the best of our knowledge, information and belief, accurate at the date of publication. Nothing herein is to be construed as a warranty, express or implied. In all cases it is the responsibility of the users to determine the applicability of such information or the suitability of any products for their own particular purpose.

Carcinogenicity	-	No hazard: calculated
Reproductive toxicity	-	No hazard: calculated
STOT-repeated exposure	-	No hazard: calculated
Aspiration hazard	-	No hazard: calculated

Symptoms / routes of exposure

Skin contact There may be irritation and redness at the site of contact

Eye contact There may be pain and redness. The eyes may water profusely.

There may be severe pain. The vision may become blurred.

May cause permanent damage

Ingestion There may be soreness and redness of the mouth and throat.

Nausea and stomach pain may occur

Inhalation There may be irritation of the throat with a feeling of tightness

in the chest

Delayed/immediate effects: Immediate effects can be expected after short-term exposure

12. Section 12: Ecological information.

12.1 Toxicity.

Ecotoxicity values:

Species	Test	Value	Units
DAPHNIA	48H EC50	>100	Mg/l

12.2 Persistence and degradability.

Persistence and degradability No data available

12.3 Bioaccumulation potential.

Bioaccumlative potential No bioaccumulation potential

12.4 Mobility in soil.

Mobility in soil Readily absorbed into soil

12.5 Results of PBT and vPvB assessment.

PBT and PvB: This product is not identified as a PBT substance

12.6 Other adverse effects.

Other adverse effects No data available







Page 8 of 9 Creation Date: 03 May 2012 Revision Date: 19 March 2018

Legal Disclaimer

The information and recommendations in this publication are, to the best of our knowledge, information and belief, accurate at the date of publication. Nothing herein is to be construed as a warranty, express or implied. In all cases it is the responsibility of the users to determine the applicability of such information or the suitability of any products for their own particular purpose.

13. Section 13: Disposal considerations.

13.1 Waste treatment methods.

Disposal operations: Transfer to a suitable container and arrange for collection by

specialised disposal company.

NB: The user's attention is drawn to the possible existence of

regional or national regulations regarding disposal.

14. Section 14: Transport information.

Other information.

Not classified as dangerous in the meaning of transport regulation.





Golden Coast

Page 9 of 9 Creation Date: 03 May 2012 Revision Date: 19 March 2018

Legal Disclaimer

The information and recommendations in this publication are, to the best of our knowledge, information and belief, accurate at the date of publication. Nothing herein is to be construed as a warranty, express or implied. In all cases it is the responsibility of the users to determine the applicability of such information or the suitability of any products for their own particular purpose.

15. Section 15: Regulatory information.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture. Information about limitation of use

This safety Data Sheet is provided in compliance with REACH Regulation (EC) No 1907/2006

15.2 Chemical safety assessment.

A chemical safety assessment has not been carried out for the mixture by the supplier

16. Section 16: Other information.

Full text of H-statements referred to under sections 2 and 3

H315 Causes skin irritation

H318 Causes serious eye Damage

H335 May cause respiratory irritation

Restricted to professional users. Attention – Avoid exposure – obtain special instructions before use.

This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty or merchantability, or fitness for any particular use, or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from use of this information. Users should make their own investigations to determine the suitability of the information for their particular needs and uses.

Note:

This data sheet does not constitute a user's assessment of workplace risk as required by HSW act, COSHH, management of health and safety at work regulations, or other health and safety legislation.

Further information relating to the pictograms, phrases, statements or acronyms contained within this Safety Data Sheet is available for download. Please refer to www.goldenc.com/resources/data-sheets



