

SAFETY DATA SHEET Revision 4

Aquablanc O2 Gentle System :Sachet B

1. Identification of the substance/preparation and of the company/undertaking

1.1 Product Identifier

Trade Name: Aguablanc O2 Gentle System :Sachet B - 50ml

1.2 Relevant Identified uses of the substance or mixture and uses advised against

Uses: Treatment of Swimming Pool Water

1.3 Details of the supplier of the safety data sheet

Company: Complete Pool Controls Ltd

Unit 2, The Park Stoke Orchard Bishops Cleeve Gloucestershire GL52 7RS

Telephone: +44 (0) 8712 229081 Fax: +44 (0) 8712 229083

E-mail: sales@cpc-chemicals.co.uk

1.4 Emergency Telephone

Tel: +44 (0) 8712 229081 (office hours) +44 (0) 3712 229084 (outside of office hours)

2. Hazard Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Hazard Class Hazard Statements

Aquatic Acute1 H400 Aquatic Chronic H410

For the full text of the H statements mentioned in this section see Section 16.

Most important adverse effects

Human Health: See section 11 for toxicilogical information
Physical & Chemical Hazards: See section 9 for physicochemical information
Potential environmental effects: See section 12 for environmental information

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard symbols:

Signal word: Warning

Hazard statements: H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements: P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P273 Avoid release to the environment

P391 Collect spillage

P501 Dispose of contents/container in accordance with local regulations P301+330 + P310 IF SWALLOWED: rinse mouth. Immediately call a poison centre

IF IN EYES: Rinse continuously with water for several minutes. Remove

contact lenses if present and easy to do – continue rinsing

Hazardous components which must be listed on the label

(N,Ndimethyl-2-hyroxyammonium chloride (polymer))

2.3 Other Hazards

PBT and vPvB assessment: not applicable

Trade Name: Aquablanc O2 Gentle System: Sachet B - 50ml

3. Composition/information on ingredients

3.1 Mixture

Chemical nature: Mixture of substances listed below with non - hazardous additions.

Chemical Name

25988-97-0 Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl)-oxirane (EINECS 203-439-

8) / Polymeric quaternary ammonium chloride

4. First Aid measures

4.1 Description of first aid measures

General Advice: Take off all contaminated clothing immediately

In case of accident by inhalation; remove casualty to fresh air and keep at rest. If

If Inhaled: breathing is irregular or stopped, administer artificial respiration. Call a doctor

immediately.

In case of skin contact: Wash off immediately with plenty of soap & water. Seek medical advice

Rinse immediately with plenty of water, also under eyelids for at least 15 minutes.

In case of eye contact:

Remove contact lenses. Call a doctor immediately

If swallowed: Clean mouth with water and drink plenty of water. Never give anything by mouth to

an unconscious person. Call for a doctor immediately

Further Information: Symptoms of poisoning may even occur after several hours; therefore medical

observation for at least 48 hours after the accident.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms & effects: No further information

4.3 Indication of immediate medical attention and special treatment needed

Treatment No information available

5. Fire fighting measures

5.1 Extinguishing media:

Suitable media: Water spray: Foam: Fire - extinguishing Powder: Carbon dioxide

Unsuitable media: Water with full jet

5.2 Special hazards arising from the substance or mixture

Specific Hazards: Fire may cause evolution of Carbon monoxide (CO) and Nitrogen oxides (NOx)

5.3 Advice for fire-fighters

Protective equipment: Fire-fighters should wear full protective clothing and self-contained breathing

apparatus (SCBA).

Do not inhale explosion gases or combustion gases.

Further Information: Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official

regulations.

Trade Name: Aquablanc O2 Gentle System: Sachet B - 50ml

6. Accidental release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions: Keep people at a distance and stay on the windward side.

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions

Environmental precautions: Do not allow product to reach sewage system or any water course.

Dilute with plenty of water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and materials for containment and cleaning up

Cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders,

Further Information: Treat recovered material as described in section 13.

6.4 Reference to other sections See Section 1 for emergency contact information

See Section 8 for information on Personal protective equipment

See section 13 for waste treatment information

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling: Keep receptacle tightly closed. Keep away from heat and direct sunlight.

Keep away from food, drink and animal feeding stuffs. Smoking, eating and drinking

Hygiene measures: should be prohibited in the application area. Wash hands before breaks and at the

end of the work day. Take off all contaminated clothing immediately. Provide

adequate ventilation. Avoid contact with the skin and eyes.

7.2 Conditions for safe storage, including any incompatibilities.

Requirements for storage: Store only in the original receptacle. Prevent any seepage into the ground.

Fire and explosion: No further information available

Further information: Protect from frost, heat and direct sunlight. Keep container tightly sealed.

Common storage: Store away from flammable substances

Storage Temperature: No further information available

Storage class 12

7.3 Specific end uses

Specific use(s) No information available

8. Exposure control/personal protection

8.1 Control parameters No value assigned for this product

8.2 Exposure controls

Engineering measures Refer to protective measures listed in sections 7 and 8

Respiratory protection Not required

Hand protection Wear protective gloves. The selected protective gloves have to satisfy the

specifications of EU Directive 89/686/EEC and standard EN 374.

Material Rubber Unsuitable: Leather **Trade Name:** Aquablanc O2 Gentle System: Sachet B - 50ml

8. Exposure control/personal protection

8.2 Exposure controls

Personal protective equipment

Eye protection: Wear safety goggles approved to standard EN 166. Ensure eyewash station available

Skin and body protection: Impervious protective clothing

Environmental exposure controls

General advice: Do not flush into surface water or sanitary sewer systems

Avoid subsoil penetration

If the product contaminates rivers and lakes or drains inform authorities.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form: Liquid Colour: Green Odour: Characteristic Odour Threshold: Not determined

pH @ 20°C: 6.4 - 7.8ca. 0°C Melting point: Boiling point: 100°C

Self igniting: Product is not self igniting.

Density @ 20°C: 1.12 g/cm³ Vapour Pressure @ 20°C: 23 hPa Water solubility: Fully miscible

Partition coeffcient:n-octanol/water: -3.13 100°C Ignition temperature:

Explosive properties: Product does not present an explosion hazard

Solvent content: Organic solvents: 0.00%

VOC (EC) 0.00%

9.2 Other Information No further relevant information available

10. Stability and reactivity

10.1 Reactivity

Reactivity No information available

10.2 Chemical stability

Chemical stability No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Hazardous reactions: No dangerous reactions known.

10.4 Conditions to avoid

Conditions to avoid No further relevant information available.

10.5 Incompatible materials

Materials to avoid No further relevant information available.

10.6 Hazardous decomposition products

Haz. Decomp. products: No dangerous decomposition products known.

11. Toxilogical Information

11.1 Information on toxilogical effects

LD/LC50 values relevant for classification:

Acute Toxicity

25988-97-0 Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl)-oxirane (EINECS 203-439-

8) / Polymeric quaternary ammonium chloride

Oral LD50 1,672 mg/kg rat
Dermal LD50 > 2000 mg/kg rabbit

Primary irritant effect:

on the skin: No irritant effect on the eye: No irritant effect

Sensitization: No sensitizing effects known.
Chronic toxicity No information available
Carcinogenicity No information available
Mutagenicity No information available

12. Ecological Information

12.1 Toxicity

Aquatic Toxicity:

25988-97-0 Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl)-oxirane (EINECS 203-439-

8) / Polymeric quaternary ammonium chloride EC50 0.14 mg/l (daphnia)

LC50 0.077 mg/l (Oncorhynchus mykiss (Regenbogenforelle)) EC50 0.09 mg/l (Selenastrum capricornutum (Grünalge))

Remark very toxic to fish

12.2 Persistence and degradability

Persistence No further relevant information available.

Degradability Easily biodegradable

12.3 Bioaccumlative potential

Bioaccumlative potential No information available

12.4 Mobility in soil

Mobility in soil No further relevant information available.

12.5 Results of PBT and PvB assessment

PBT and PvB Not applicable

Notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or

sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized. Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

12.6 Other adverse effects No further relevant information available.

13. Disposal Considerations

13.1 Waste treatment methods

- -Disposal should be in accordance with local, state or national legislation
- -Do not reuse empty containers without commercial cleaning or reconditioning
- -Do not discharge into drains or the environment , dispose to an authorised waste collection point

Classification

Waste Codes in accordance with the European Waste catalogue (EWC) are origin-defined. Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority

14. Transport Information

14.1 UN Number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.2 Proper shipping name (N,Ndimethyl-2-hyroxyammonium chloride (polymer)) MARINE POLLUTANT

14.3 Transport hazard class(es)

Class 9 Miscellaneous dangerous substances and articles.

Hazard label 80
Excepted quantities E1
Transport Category 3

Special marking Fish and Tree

LQ 5 litres EMS No F-A,S-F

14.4 Packaging Group III

14.5 Environmental hazards

Environmentally Hazardous Yes Marine Pollutant Yes

14.6 Special precautions for userNo further information available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No further information available

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for this substance or mixture.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

Trade Name: Aquablanc O2 Gentle System: Sachet B - 50ml

16. Other information

Full text of H-statements referred to under sections 2 and 3

H302 Harmful if swallowedH400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects.

This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty or merchantability, or fitness for any particular use, or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from use of this information Users should make their own investigations to determine the suitability of the information for their particular needs and uses.

Abbreviations and acronyms:

Accord europeen sur le transport des marchandises dangereuse par Route (European Agreement concerning the ADR:

International Carriage of Dangerous Goods by Road)

Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations RID:

concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGI Dangerous goods Regulations by the 'International Air Transport Association' (IATA)

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS European Inventory of Existing Commercial Chemical Substances.

CAS: Chemicals Abstracts Service (division of the Americal Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Indicates updated section.