

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Rev. Index : 31

Revision: 16.01.2018

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking****1.1 Product identifier**Trade name: **Fi-CLOR™ MINI-TABS**

Article number: 11700 FiClor 2

**1.2 Relevant identified uses of the substance or mixture and uses advised against
Sector of Use**

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment,
services, craftsmen)**Product category**

PC8 Biocidal products

PC37 Water treatment chemicals

Application of the substance / the mixture Water treatment - Solid Chlorinating agent**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**Arch Water Products France now part of
LONZA SPECIALTY INGREDIENTS
BP 219 - 37402 Amboise Cedex - FRANCE
phone : +33 (0)2 47 23 43 00
fax : +33 (0)2 47 23 12 21framsds-reach.france.euwater@lonza.com**Further information obtainable from:**ARCH CHEMICALS Ltd now part of
LONZA SPECIALTY INGREDIENTS
Wheldon Road - Castleford - West Yorkshire WF10 2JT - ENGLAND
Telephone: + 44 (0) 1977 714 100
Fax: + 44 (0) 870 889 5277**1.4 Emergency telephone number:**

Europe >>> NCEC - Tel. +44 (0)1235 239 670

Africa & Middle East >>> NCEC - Tel. +44 (0)1235 239 671

N.AMERICA >>> ACEAN (Arch Chemicals Emergency Action Network) - Tel. +1
423 780 2970}

(Contd. on page 2)

GB

Trade name: Fi-CLOR™ MINI-TABS

(Contd. of page 1)

CALL A LOCAL NATIONAL POISON CONTROL UNIT
FOR UK CONTACT NCEC Tel 01865 407 333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is classified and labelled in accordance with the CLP regulation and taking into account the results of test sponsored by the manufacturer
(See section 9.2)



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled in accordance with the CLP regulation and taking into account the results of test sponsored by the manufacturer

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07 GHS09

Signal word Warning

Hazard-determining components of labelling:

Symclosene {trichloroisocyanuric acid <-> trichloro-1,3,5-triazinetriion}

Hazard statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Rev. Index : 31

Revision: 16.01.2018

Trade name: Fi-CLOR™ MINI-TABS

(Contd. of page 2)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P330 Rinse mouth.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P391 Collect spillage.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P501 Dispose of contents/container to special treatment scheme according to official regulations.

Additional information:

EUH031 Contact with acids liberates toxic gas.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Chemical characterisation: Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 87-90-1 EINECS: 201-782-8	Symclosene {trichloroisocyanuric acid <> trichloro-1,3,5-triazinetriol}	50-<100%
	⚠ Ox. Sol. 2, H272; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 10043-35-3 EINECS: 233-139-2 Reg.nr.: 01-2119486683-25-XXXX	boric acid	0.1-<2.5%
	⚠ Repr. 1B, H360FD	

SVHC

Contains less than de 5.5% of boric acid (Repr. 1B; H360FD: C ≥ 5,5 %).

Boric acid is included in the Candidate List of Substances of Very High Concern (SVHC) of the European Chemical Agency (ECHA)

CAS: 10043-35-3 | boric acid

Additional information For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information**

Take affected persons out into the fresh air.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation Supply fresh air; consult doctor in case of complaints.**After skin contact** Rinse with warm water.**After eye contact**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing Call for a doctor immediately.**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 4)

Trade name: Fi-CLOR™ MINI-TABS

(Contd. of page 3)

4.3 Indication of any immediate medical attention and special treatment needed
No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents Extinguishing powder.

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

6.2 Environmental precautions:

Keep contaminated washing water and dispose of appropriately.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Handling



DO NOT MIX WITH OTHER PRODUCTS
DO NOT DISSOLVE BEFORE USE

Information about fire - and explosion protection:

Substance/product is oxidising when dry.

Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Do not store together with acids.

Further information about storage conditions: Keep receptacle tightly sealed.

7.3 Specific end use(s) No further relevant information available.

Trade name: Fi-CLOR™ MINI-TABS

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Tablets
Colour:	White
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value at 20 °C: 3

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Rev. Index : 31

Revision: 16.01.2018

Trade name: Fi-CLOR™ MINI-TABS

(Contd. of page 5)

Change in condition

Melting point/freezing point:	undetermined
Initial boiling point and boiling range:	undetermined
Flash point:	Not applicable
Flammability (solid, gaseous)	Not determined.
Ignition temperature:	
Decomposition temperature:	220 - 230 °C
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density at 20 °C:	1,9 g/cm ³
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water at 20 °C:	12 g/l
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0,0 %
Solids content:	100,0 %
9.2 Other information	Test supporting non-classification as oxidizer : "Tablets formulated with 99.95 % of SYMCLOSENE and 0.05% BORIC ACID / UN Test O.1 Oxidizing Solids Testing / Chilworth SARL for Arch Water Products France SAS"

SECTION 10: Stability and reactivity**10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions**NEVER MIX THIS PRODUCT WITH INORGANIC CHLORINE (HYPOCHLORITE) WITHIN THE SAME CONTAINER**

Reacts with strong oxidizing agents

Reacts with alcohols, amines, aqueous acids and alkalis

Reacts with flammable substances

10.4 Conditions to avoid No further relevant information available.

(Contd. on page 7)

GB

Trade name: Fi-CLOR™ MINI-TABS

(Contd. of page 6)

10.5 Incompatible materials:

Warning! Do not use together with other products. May release dangerous gases (chlorine).

10.6 Hazardous decomposition products: Poisonous gases/vapours

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

Harmful if swallowed.

LD/LC50 values relevant for classification:**CAS: 87-90-1 Symclosene {trichloroisocyanuric acid <> trichloro-1,3,5-triazinetriion}**

Oral	LD50	490 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rat)

CAS: 10043-35-3 boric acid

Oral	LD50	2660 mg/kg (rat)
------	------	------------------

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Contains less than 5.5% of boric acid(Repr. 1B; H360FD: C ≥ 5,5 %).

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:****CAS: 87-90-1 Symclosene {trichloroisocyanuric acid <> trichloro-1,3,5-triazinetriion}**

Oral	LC50 - 96 hrs	0.3 mg/l (bluegill sunfish)
		0.32 mg/l (rainbow trout)
	CE50 - 48 hrs	0.21 mg/l (daphnia magna)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Very toxic for fish

Additional ecological information:**General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

(Contd. on page 8)

Trade name: Fi-CLOR™ MINI-TABS

(Contd. of page 7)

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation**

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:**Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information****14.1 UN-Number**

ADR, IMDG, IATA

UN3077

14.2 UN proper shipping name

ADR

3077 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S.
(TRICHLOROISOCYANURIC ACID)

IMDG

ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S.
(TRICHLOROISOCYANURIC ACID), MARINE
POLLUTANT

IATA

ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S.
(TRICHLOROISOCYANURIC ACID)**14.3 Transport hazard class(es)**

ADR



Class

9 (M7) Miscellaneous dangerous substances
and articles.

Label

9

IMDG, IATA



Class

9 Miscellaneous dangerous substances and
articles.

Label

9

14.4 Packing group

ADR, IMDG, IATA

III

14.5 Environmental hazards:**Marine pollutant:**

Yes

Special marking (ADR):

Symbol (fish and tree)

Special marking (IATA):

Symbol (fish and tree)

Symbol (fish and tree)

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.01.2018

Rev. Index : 31

Revision: 16.01.2018

Trade name: Fi-CLOR™ MINI-TABS

(Contd. of page 8)

14.6 Special precautions for user

Warning: Miscellaneous dangerous substances and articles.

Danger code (Kemler):

90

EMS Number:

F-A,S-F

Stowage Category

A

Stowage Code

SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

Transport/Additional information:**ADR**

Excepted quantities (EQ):

E1

Limited quantities (LQ)

5 kg

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

Transport category

3

Tunnel restriction code

E

IMDG

Limited quantities (LQ)

5 kg

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

UN "Model Regulation":

UN 3077 / UN 3082 - These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TRICHLOROISOCYANURIC ACID), 9, III

SECTION 15: Regulatory information**REGULATION (EU) No 528/2012**

Best before : see date on packaging

Providing this container when empty is thoroughly rinsed out in the pool, it may be disposed of via the recycling scheme

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**Directive 2012/18/EU**

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 30

(Contd. on page 10)

GB

Trade name: Fi-CLOR™ MINI-TABS

(Contd. of page 9)

National regulations

Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

Contains less than de 5.5% of boric acid (Repr. 1B; H360FD: C ≥ 5,5 %).

Boric acid is included in the Candidate List of Substances of Very High Concern (SVHC) of the European Chemical Agency (ECHA)

CAS: 10043-35-3 | boric acid

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H360FD May damage fertility. May damage the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 2: Oxidizing solids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* **Data compared to the previous version altered.**