

SAFETY DATA SHEET CHLORIDE TABLETS

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CHLORIDE TABLETS

Product number PT2250X, AD-0796, SP622, AS079, PK079, AD-0792, AR079

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Testing water

1.3. Details of the supplier of the safety data sheet

Supplier PALINTEST LIMITED

PALINTEST HOUSE TEAM VALLEY GATESHEAD

TYNE & WEAR NE11 0NS

ENGLAND

TEL 0191 491 0808 FAX 0191 482 5372 palintest@palintest.com

1.4. Emergency telephone number

Emergency telephone +44 (0)207 858 1228 (24hr)

National emergency telephone NHS Direct: 0845 4647 (England and Wales) NHS 24: 08454 24 24 (Scotland)

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 1B - H340 Carc. 1B - H350

Repr. 1B - H360FD

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

2.2. Label elements

Hazard pictograms









Signal word

Danger

CHLORIDE TABLETS

Hazard statements H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H340 May cause genetic defects.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.

Contains BORIC ACID, POTASSIUM CHROMATE, SILVER NITRATE

Supplementary precautionary

statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P308+P313 IF exposed or concerned: Get medical advice/ attention.

P310 Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see medical advice on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container in accordance with local regulations.

2.3. Other hazards

This product contains a substance classified as vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

BORIC ACID 50-60%

CAS number: 10043-35-3 EC number: 233-139-2 REACH registration number: 01-

2119486683-25-XXXX

Substance of very high concern (SVHC). This product is/contains a substance that is included in REGULATION (EC) No 1907/2006 (REACH) ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES. MIXTURES AND ARTICLES.

Classification

Repr. 1B - H360FD

CHLORIDE TABLETS

POTASSIUM CHROMATE 10-20%

CAS number: 7789-00-6 EC number: 232-140-5 REACH registration number: 01-

2119543478-30-XXXX

M factor (Acute) = 1 M factor (Chronic) = 1

Substance of very high concern (SVHC). This product is/contains a substance that is included in REGULATION (EC) No 1907/2006 (REACH) ANNEX XIV - LIST OF SUBSTANCES SUBJECT TO AUTHORISATION.

Classification

Skin Irrit. 2 - H315
Eye Irrit. 2 - H319
Skin Sens. 1 - H317
Muta. 1B - H340
Carc. 1B - H350i
STOT SE 3 - H335
Aquatic Acute 1 - H400
Aquatic Chronic 1 - H410

STARCH SOLUBLE 5-10%

CAS number: 9005-84-9 EC number: 232-686-4 REACH registration number: N/A

Classification

Not Classified

TALC 3-5%

CAS number: 14807-96-6 EC number: 238-877-9 REACH registration number: N/A

Classification
Not Classified

SILVER NITRATE 3-5%

CAS number: 7761-88-8 EC number: 231-853-9 REACH registration number: 01-

2119513705-43-XXXX

M factor (Acute) = 1000

Classification

Ox. Sol. 2 - H272 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments This product contains a substance that is a SVHC. This product is/contains a substance that

is included in REGULATION (EC) No 1907/2006 (REACH) ANNEX XIV - LIST OF

SUBSTANCES SUBJECT TO AUTHORISATION.

SECTION 4: First aid measures

4.1. Description of first aid measures

CHLORIDE TABLETS

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Rinse mouth thoroughly with water. Get medical attention immediately.

Skin contact Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur

after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after

washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation This is unlikely to occur but symptoms similar to those of ingestion may develop.

Ingestion May cause chemical burns in mouth and throat. May cause stomach pain or vomiting.

Skin contact May cause serious chemical burns to the skin.

Eye contact May cause blurred vision and serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

Heating may generate the following products: Toxic and corrosive gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

No specific firefighting precautions known.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid or minimise the creation of any environmental contamination.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Wear suitable protective

equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Collect and place in suitable waste disposal containers and seal securely. For

waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Good personal hygiene procedures should be implemented.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep separate from food, feedstuffs, fertilisers and other sensitive material. Store in tightly-

closed, original container in a dry and cool place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

POTASSIUM CHROMATE

Long-term exposure limit (8-hour TWA): WEL 0,05 mg/m³

Short-term exposure limit (15-minute): WEL

Carc, Sen as Cr

STARCH SOLUBLE

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

TALC

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³ respirable dust

SILVER NITRATE

Long-term exposure limit (8-hour TWA): WEL 0,01 mg/m³

as Ag

WEL = Workplace Exposure Limit.

Carc = Capable of causing cancer and/or heritable genetic damage.

Sen = Capable of causing occupational asthma.

Ingredient comments Due to the hazardous nature of ingredients, exposure should be minimal.

8.2. Exposure controls

Protective equipment





eye contact is possible. The following protection should be worn: Chemical splash goggles.

that gloves are made of the following material: Nitrile rubber.

Hygiene measures No specific hygiene procedures recommended but good personal hygiene practices should

always be observed when working with chemical products. Wash promptly if skin becomes

contaminated.

Respiratory protection Due to the physical nature of this product, exposure by this route is unlikely. No specific

recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

CHLORIDE TABLETS

Appearance Solid

Colour Yellow.

Odour Odourless.

Solubility(ies) Soluble in water.

9.2. Other information

Other information No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

No data available.

reactions

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

There are no anticipated hazardous decomposition products associated with this material.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects This product is toxic.

SECTION 12: Ecological information

Ecotoxicity The product contains substances which are toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

12.1. Toxicity

Toxicity The product contains a substance which is toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product contains a substance classified as vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in Disposal methods

accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

Road transport notes The product is not classified as packaged as per ADR section 3.5.1.4

Sea transport notes The product is not classified as packaged as per IMDG section 3.5.1.4

Air transport notes The product is not subject to the requirements of IATA as packaged based upon "De Minimis

Quantities" as per IATA Dangerous Goods Regulations subsection 2.6.10.1

14.1. UN number

UN No. (ADR/RID) 3077 UN No. (IMDG) 3077

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

UN No. (ICAO)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (POTASSIUM

CHROMATE)

3077

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (POTASSIUM

CHROMATE)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (POTASSIUM Proper shipping name (ICAO)

CHROMATE)

Proper shipping name (ADN) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (POTASSIUM

CHROMATE)

14.3. Transport hazard class(es)

ADR/RID class 9

ADR/RID label 9

IMDG class 9

ICAO class/division 9

Transport labels



14.4. Packing group

ADR/RID packing group Ш IMDG packing group Ш ICAO packing group

Ш

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-A, S-F

Emergency Action Code 2Z

Hazard Identification Number 90

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Guidance Safety Data Sheets for Substances and Preparations.

15.2. Chemical safety assessment

No data available.

SECTION 16: Other information

General information This product is/contains a substance that is included in REGULATION (EC) No 1907/2006

(REACH) ANNEX XIV - LIST OF SUBSTANCES SUBJECT TO AUTHORISATION.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by L. Morgan

Revision date 22/12/2020

Revision 14

Supersedes date 03/02/2020

SDS status Approved.

Hazard statements in full H2

H272 May intensify fire; oxidiser.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H340 May cause genetic defects.

H350 May cause cancer.

H350i May cause cancer by inhalation.

H360FD May damage fertility. May damage the unborn child.

H360FD May damage fertility if swallowed. May damage the unborn child if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.