

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier

Product form : Mixture
 Trade name : HYDROGEN PEROXIDE 30%
 Product code : ACF-04700

1.2. Relevant identified uses of the substance or mixture and uses advised against
1.2.1. Relevant identified uses

Use of the substance/mixture : Bleaching agents
 Cleaning agent
 Paper industry
 Formulation

1.2.2. Uses advised against

Restrictions on use : Biocide

1.3. Details of the supplier of the safety data sheet

Airedale Group
 Airedale Mills
 Skipton Road
 BD20 7BX Cross Hills Keighley – North Yorkshire
 T +44 (0) 1535 637876
sds@airedale-group.com - airedale-group.com

1.4. Emergency telephone number

Emergency number : NCEC +44 (0) 870 1906777

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
Classification according to GB CLP (SI 2019:720 as amended)

Acute toxicity (oral), Category 4 H302
 Acute toxicity (inhalation:dust,mist) Category 4 H332
 Serious eye damage/eye irritation, Category 1 H318
 Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements
Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP) :



GHS05

GHS07

Signal word (GB CLP) :

Danger

HYDROGEN PEROXIDE 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Contains	: hydrogen peroxide solution... %
Hazard statements (GB CLP)	: H302+H332 - Harmful if swallowed or if inhaled. H318 - Causes serious eye damage.
Precautionary statements (GB CLP)	: P261 - Avoid breathing mist, vapours, spray. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER, doctor if you feel unwell. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor.
Extra phrases (GB CLP)	: Acquisition, possession or use by the general public is restricted.

2.3. Other hazards

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	hydrogen peroxide solution... % (7722-84-1)
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	hydrogen peroxide solution... % (7722-84-1)
Component	
Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	hydrogen peroxide solution... %(7722-84-1)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
hydrogen peroxide solution... % substance with workplace exposure limit(s)	CAS-No.: 7722-84-1 EC-No.: 231-765-0 UK Index-No.: 008-003-00-9	≥ 25 – < 50	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 (ATE=431 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Chronic 3, H412

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
hydrogen peroxide solution... %	CAS-No.: 7722-84-1 EC-No.: 231-765-0 UK Index-No.: 008-003-00-9	(5 ≤ C < 8) Eye Irrit. 2; H319 (8 ≤ C < 50) Eye Dam. 1; H318 (35 ≤ C < 50) Skin Irrit. 2; H315 (35 ≤ C ≤ 100) STOT SE 3; H335 (50 ≤ C < 70) Ox. Liq. 2; H272 (50 ≤ C < 70) Skin Corr. 1B; H314 (70 ≤ C ≤ 100) Ox. Liq. 1; H271 (70 ≤ C ≤ 100) Skin Corr. 1A; H314

HYDROGEN PEROXIDE 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. Give oxygen or artificial respiration if necessary.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Water mist.
Unsuitable extinguishing media	: Carbon dioxide (CO ₂). dry chemical powder.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Contact with combustible material may cause fire.
Hazardous decomposition products in case of fire	: Thermal decomposition generates : Oxygen.

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel. No flames, no sparks. Eliminate all sources of ignition. Ventilate spillage area. Avoid breathing vapours. Avoid contact with skin and eyes.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

HYDROGEN PEROXIDE 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide adequate ventilation. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Incompatible materials : Refer to Section 10 on Incompatible Materials.

7.3. Specific end use(s)

See Section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

hydrogen peroxide solution... % (7722-84-1)	
United Kingdom - Occupational Exposure Limits	
Local name	Hydrogen peroxide
WEL TWA (OEL TWA)	1.4 mg/m ³
	1 ppm
WEL STEL (OEL STEL)	2.8 mg/m ³
	2 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

hydrogen peroxide solution... % (7722-84-1)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	3 mg/m ³
Long-term - local effects, inhalation	1.4 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	1.93 mg/m ³
Long-term - local effects, inhalation	0.21 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	0.0126 mg/l

HYDROGEN PEROXIDE 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

hydrogen peroxide solution... % (7722-84-1)	
PNEC aqua (marine water)	0.0126 mg/l
PNEC aqua (intermittent, freshwater)	0.0138 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.047 mg/kg dwt
PNEC sediment (marine water)	0.047 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.0023 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	4.66 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Provide adequate ventilation. Do not exceed the occupational exposure limits (OEL).

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Protective goggles (EN 166)

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves against chemicals (EN 374)

8.2.2.3. Respiratory protection

Respiratory protection:

Do not exceed the occupational exposure limits (OEL). [In case of inadequate ventilation] wear respiratory protection. P3. High vapour/gas concentration: self-contained respirator

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear liquid.
Colour	: Colourless.

HYDROGEN PEROXIDE 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Odour	: Pungent.
Odour threshold	: Not available
pH	: 3
pH solution concentration	: 100 %
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flash point	: Not applicable
Explosive limits	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Relative vapour density at 20°C	: Not available
Relative density	: Not available
Density	: $\geq 1.1057 - \leq 1.1097$ kg/l
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
Viscosity, kinematic	: Not available
Explosive properties	: Not explosive
Oxidising properties	: Not oxidising.

9.2. Other information

Particle characteristics : Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Organic materials. Combustible materials. metals. Bases. Reducing agents. Metallic oxides.

10.6. Hazardous decomposition products

Thermal decomposition generates : Oxygen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Inhalation:dust,mist: Harmful if inhaled.

HYDROGEN PEROXIDE 30%	
ATE UK (oral)	1436.667 mg/kg bodyweight
ATE UK (dust,mist)	5 mg/l/4h

HYDROGEN PEROXIDE 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

hydrogen peroxide solution... % (7722-84-1)	
LD50 oral rat	431 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met). pH: 3
Serious eye damage/irritation	: Causes serious eye damage. pH: 3
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)

hydrogen peroxide solution... % (7722-84-1)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met).

hydrogen peroxide solution... % (7722-84-1)	
LC50 - Fish [1]	16.4 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	2.4 mg/l
EC50 72h - Algae [1]	1.38 mg/l Test organisms (species): Skeletonema costatum
ErC50 algae	1.38 mg/l Skeletonema costatum (marine diatom)
LOEC (chronic)	1.25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.63 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

HYDROGEN PEROXIDE 30%	
Persistence and degradability	Not rapidly degradable

hydrogen peroxide solution... % (7722-84-1)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

hydrogen peroxide solution... % (7722-84-1)	
Bioaccumulative potential	Bioaccumulation unlikely.

HYDROGEN PEROXIDE 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

12.4. Mobility in soil

hydrogen peroxide solution... % (7722-84-1)

Ecology - soil : Can be leached out from soil.

12.5. Results of PBT and vPvB assessment

Component

hydrogen peroxide solution... % (7722-84-1) : This product does not contain substances at $\geq 0.1\%$ that meet the PBT criteria of UK REACH regulation, annex XIII
This product does not contain substances at $\geq 0.1\%$ that meet the vPvB criteria of UK REACH regulation, annex XIII

12.6. Other adverse effects

Other adverse effects : None known.





SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport information

In accordance with ADR / IMDG / ADN / RID

ADR	IMDG	ADN	RID
14.1. UN number			
UN 2014	UN 2014	UN 2014	UN 2014
14.2. UN proper shipping name			
HYDROGEN PEROXIDE, AQUEOUS SOLUTION	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Transport document description			
UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II, (E)	UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II	UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II	UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II
14.3. Transport hazard class(es)			
5.1 (8)	5.1 (8)	5.1 (8)	5.1 (8)
			
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
Dangerous for the environment: False	Dangerous for the environment: False Marine pollutant: No	Dangerous for the environment: False	Dangerous for the environment: False

HYDROGEN PEROXIDE 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

ADR	IMDG	ADN	RID
No supplementary information available			

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: OC1
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P504, IBC02
Special packing provisions (ADR)	: PP10, B5
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2, TP6, TP24
Tank code (ADR)	: L4BV(+)
Tank special provisions (ADR)	: TU3, TC2, TE8, TE11, TT1
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Hazard identification number (Kemler No.)	: 58
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2P

Transport by sea

Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P504
Special packing provisions (IMDG)	: PP10
IBC packing instructions (IMDG)	: IBC02
IBC special provisions (IMDG)	: B5
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2, TP6, TP24
EmS-No. (Fire)	: F-H
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: D
Stowage and handling (IMDG)	: SW1
Segregation (IMDG)	: SGG16, SG16, SG59, SG72
Properties and observations (IMDG)	: Colourless liquid. Slowly decomposes, evolving oxygen; the rate of decomposition increases in contact with metals, except aluminium. In contact with combustible material may cause fire or explosion. Causes burns to skin, eyes and mucous membranes. Even though stabilized, these solutions may evolve oxygen.

Rail transport

Classification code (RID)	: OC1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P504, IBC02
Special packing provisions (RID)	: PP10, B5
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2, TP6, TP24
Tank codes for RID tanks (RID)	: L4BV(+)
Special provisions for RID tanks (RID)	: TU3, TC2, TE8, TE11, TT1
Transport category (RID)	: 2

HYDROGEN PEROXIDE 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Special provisions for carriage - Loading, unloading and handling (RID) : CW24
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : 58

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

UK REACH Annex XVII (Restriction List)

UK restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(a)	hydrogen peroxide solution... %	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	HYDROGEN PEROXIDE 30% ; hydrogen peroxide solution... %	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	hydrogen peroxide solution... %	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

UK REACH Candidate List (SVHC)

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC) above the 0.1% level of disclosure

GB PIC regulation (Prior Informed Consent)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

Control of Poisons and Explosives Precursors Act

This product contains no substance(s) listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains substance(s) listed on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure: Hydrogen peroxide - 7722-84-1 (12 % w/w)

Drug Precursors Regulation (EC 273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

15.1.2. Other Information

British National Regulations : This is a regulated/reportable substance under the Poisons Act 1972 as amended by the Control of Explosives Precursors and Poisons Regulations 2023.

HYDROGEN PEROXIDE 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes (UK)		
Section	Changed item	Comments
	Supersedes	Added
	Revision date	Added
2.1	Adverse physicochemical, human health and environmental effects	Removed

Data sources : ECHA (European Chemicals Agency).
Training advice : Read Safety Data Sheet before use.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Liq. 1	Oxidising Liquids, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Acute Tox. 4 (Oral)	H302	Calculation method

HYDROGEN PEROXIDE 30%

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Acute Tox. 4 (Inhalation:dust,mist)	H332	Calculation method
Eye Dam. 1	H318	Calculation method

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.