



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 5.2 (replaces version 5.1)

Revision date: 26.05.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: PPG Deluxe Rapid Shock

· Product Code: SHRAP02PPG

· Registration number Mixture

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Product category

PC8 Biocidal products

PC34 Textile dyes, and impregnating products

PC35 Washing and cleaning products (including solvent based products)

PC37 Water treatment chemicals

· Application of the substance / the mixture Water treatment

· Uses advised against

Processes involving the use of incompatible substances - refer to section 10.

Processes involving extreme heat use advised against.

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving significant release of aerosol, vapour or dust in the breathing zone of workers where they are exposed without suitable respiratory protective equipment (RPE).

· 1.3 Details of the supplier of the safety data sheet

· Supplier:

Golden Coast Ltd

Fishleigh Road

Roundswell Commercial Park West

Barnstaple

Devon, EX31 3UA

Tel: +44 (0)1271 378 100

Email: swimmer@goldenc.com

· Further information obtainable from: Product safety department.

· 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

* SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to GB-CLP

Ox. Sol. 2 H272 May intensify fire; oxidiser.

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Aquatic Acute 1 H400 Very toxic to aquatic life.

· 2.2 Label elements

· Labelling according to GB-CLP The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 5.2 (replaces version 5.1)

Revision date: 26.05.2026

Trade name: PPG Deluxe Rapid Shock

(Contd. of page 1)

Hazard pictograms


GHS03 GHS05 GHS07 GHS09

Signal word Danger

Hazard-determining components of labelling:

Calcium hypochlorite, hydrated

Hazard statements

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulations.

Additional information:

EUH031 Contact with acids liberates toxic gas.

EUH071 Corrosive to the respiratory tract.

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

Contains biocidal active substance(s): Calcium hypochlorite, hydrated

2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable

vPvB: Not applicable

Determination of endocrine-disrupting properties Not applicable

SECTION 3: Composition/information on ingredients

3.2 Mixtures
Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 7778-54-3 EINECS: 231-908-7 Index number: 017-012-00-7	Calcium hypochlorite, hydrated ⚠ Ox. Sol. 2, H272; ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Acute 1, H400 (M=10); ⚠ Acute Tox. 4, H302, EUH031, EUH071, EUH206 Note: T ATE: LD50 oral: 500 mg/kg Specific concentration limits: Skin Corr. 1B; H314: C ≥ 5 % Skin Irrit. 2; H315: 1 % ≤ C < 5 % Eye Dam. 1; H318: C ≥ 3 % Eye Irrit. 2; H319: 0.5 % ≤ C < 3 %	50 – 100%
---	--	-----------

Additional information: For the wording of the listed hazard phrases refer to section 16.



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 5.2 (replaces version 5.1)

Revision date: 26.05.2026

Trade name: PPG Deluxe Rapid Shock

(Contd. of page 2)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Rinse contaminated clothes (fire hazard) with plenty of water.

· **After inhalation:**

In case of inhalation:

- Provide fresh air.

- In case of breathing difficulties administer oxygen.

- No mouth-to-mouth or mouth-to-nose resuscitation. Use respiratory bag or oxygen resuscitation apparatus.

- Do not leave patient unattended.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

· **Information for doctor:**

Treat symptomatically and supportively.

Refer to section 11.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents:** Water

· **For safety reasons unsuitable extinguishing agents:**

Water with full jet

Do not use ABC extinguishers containing nitrogen, due to risk of violent chemical reaction.

· 5.2 Special hazards arising from the substance or mixture

Strong oxidiser. Contact with combustible or flammable substances may cause fire.

In case of fire, the following can be released:

Chlorine gas

Hydrogen chloride (HCl)

· 5.3 Advice for firefighters

· **Protective equipment:**

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Wear fully protective suit.

· **Additional information** Cool endangered receptacles with water spray.

GB

(Contd. on page 4)



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 5.2 (replaces version 5.1)

Revision date: 26.05.2026

Trade name: PPG Deluxe Rapid Shock

(Contd. of page 3)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Avoid formation of dust.
- Ensure adequate ventilation
- Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

- Do not allow to penetrate the ground/soil.
- Do not allow product to reach sewage system or any water course in the undiluted form.

6.3 Methods and material for containment and cleaning up:

- Pick up mechanically.
- Do not use combustible materials such as paper towels to clean up spills.
- Ensure adequate ventilation.
- Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

- See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.
-

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Avoid contact with clothing and other combustible materials.
- Do not mix with acids.
- Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.
- Safety showers and eye wash facilities should be available at the work area.
- Prevent formation of dust.
- Ensure good ventilation/exhaustion at the workplace.
- Rinse contaminated clothing with plenty of water (Fire hazard)

Information about fire - and explosion protection:

- Protect from heat.
- Potentially explosive when mixed with organic substances.

7.2 Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by storerooms and receptacles:**

- Prevent any seepage into the ground.
- Do not store on combustible materials such as wooden floors or wooden pallets.

Information about storage in one common storage facility:

- Do not store together with acids.
- Store away from flammable substances.
- Store away from foodstuffs.
- Store away from reducing agents.
- Store away from metals.
- Do not store together with textiles.

Further information about storage conditions:

- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.

Storage class: 5.1 B**7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 5)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 5.2 (replaces version 5.1)

Revision date: 26.05.2026

Trade name: PPG Deluxe Rapid Shock

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not breathe dust

Do not eat, drink, smoke or sniff while working.

Contaminated clothes are a fire hazard. Rinse with plenty of water.

Ensure that eyewash stations and safety showers are close to the workstation location.

A safe system of work must be formulated and followed to ensure safe working with this product. Relevant workers must receive suitable and sufficient training and supervision.

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles conforming to EN166.

· **Body protection:**



Impervious protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

(Contd. on page 6)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 5.2 (replaces version 5.1)

Revision date: 26.05.2026

Trade name: PPG Deluxe Rapid Shock

(Contd. of page 5)

 · **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state	Solid
· Colour:	White
· Odour:	Like chlorine
· Melting point/freezing point:	180 °C
· Boiling point or initial boiling point and boiling range	Undetermined
· Flammability	Not determined
· Lower and upper explosion limit	
· Lower:	Not determined
· Upper:	Not determined
· Flash point:	Not applicable
· Auto-ignition temperature:	Not applicable
· Decomposition temperature:	Not determined
· pH at 20 °C	11.5 (2%)
· Viscosity:	
· Kinematic viscosity	Not applicable
· Dynamic:	Not applicable
· Solubility	
· water at 20 °C:	217 g/l
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure:	Not applicable
· Density and/or relative density	
· Density at 20 °C:	2.343 g/cm ³
· Relative density	Not determined
· Vapour density	Not applicable
· Particle characteristics	Not applicable

· 9.2 Other information

NOTE: The physical data presented above are typical values and should not be construed as a specification.

· Appearance:	
· Form:	Tablets
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Molecular weight	142.99 g/mol
· Change in condition	
· Evaporation rate	Not applicable.

· Information with regard to physical hazard classes

· **Oxidising solids** May intensify fire; oxidiser.

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

· **10.2 Chemical stability**

· **Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

(Contd. on page 7)



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 5.2 (replaces version 5.1)

Revision date: 26.05.2026

Trade name: PPG Deluxe Rapid Shock

(Contd. of page 6)

- **10.3 Possibility of hazardous reactions**

- Reacts with acids releasing chlorine.

- Reacts with alkali, amines and strong acids.

- Acts as an oxidising agent on organic materials such as wood, paper and fats.

- Reacts violently with many substances.

- May produce violent reactions with bases and numerous organic substances including alcohols and amines.

- Decomposes slowly on contact with water.

- **10.4 Conditions to avoid** Heat and static discharge.

- **10.5 Incompatible materials:**

- Amines

- Ammonia

- Ammonium salts.

- Nitrates

- Reducing agents.

- Strong acids.

- Organic solvents.

- Combustible materials.

- Substances specifically listed in section 10.3 as incompatible.

- **10.6 Hazardous decomposition products:**

- Hydrogen chloride (HCl)

- Chlorine

- Metal oxide

- Oxygen

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- **Acute toxicity**

- Harmful if swallowed.

- **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)		
Oral	LD50	526.32 mg/kg

Oral	LD50	526.32 mg/kg
------	------	--------------

- **Primary irritant effect:**

- **Skin corrosion/irritation**

- Causes severe skin burns and eye damage.

- **Serious eye damage/irritation**

- Causes serious eye damage.

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT-single exposure** Based on available data, the classification criteria are not met.

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **Additional toxicological information:**

EFFECTS OF SHORT-TERM EXPOSURE: Lachrymation. The substance is corrosive to the eyes, the skin and the respiratory tract. Corrosive on ingestion.

Inhalation of decomposition products may cause lung oedema. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Attention by a doctor should be considered.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

(Contd. on page 8)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 5.2 (replaces version 5.1)

Revision date: 26.05.2026

Trade name: PPG Deluxe Rapid Shock

(Contd. of page 7)

· 11.2 Information on other hazards
· Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

· 12.1 Toxicity
· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment
· PBT: Not applicable

· vPvB: Not applicable

· 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects
· Remark: Very toxic for fish

· Additional ecological information:
· General notes:

Very toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods
· Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· UK List of Waste

HP2	Oxidising
HP6	Acute Toxicity
HP8	Corrosive
HP12	Release of an acute toxic gas
HP14	Ecotoxic

· Uncleaned packaging:
· Recommendation:

Disposal must be made according to official regulations.

Container remains hazardous when empty. Continue to observe all precautions.

(Contd. on page 9)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 5.2 (replaces version 5.1)

Revision date: 26.05.2026




Trade name: PPG Deluxe Rapid Shock

(Contd. of page 8)

Do not mix with other waste streams.

Containers, even those that are “empty,” may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3487
· 14.2 UN proper shipping name · ADR · IMDG · IATA	UN3487 CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE mixture, ENVIRONMENTALLY HAZARDOUS CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE mixture, MARINE POLLUTANT CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE mixture
· 14.3 Transport hazard class(es) · ADR	
· Class · Label	5.1 (OC2) Oxidising substances. 5.1+8
· IMDG	
· Class · Label	5.1 Oxidising substances. 5.1/8
· IATA	
· Class · Label	5.1 Oxidising substances. 5.1 (8)
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR):	Product contains environmentally hazardous substances: Calcium hypochlorite, hydrated Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · Emergency Action Code:	Warning: Oxidising substances. 58 1W

(Contd. on page 10)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 5.2 (replaces version 5.1)

Revision date: 26.05.2026

Trade name: PPG Deluxe Rapid Shock

(Contd. of page 9)

<ul style="list-style-type: none"> · EMS Number: · Segregation groups · Stowage Category · Stowage Code · Segregation Code 	F-H,S-Q (SGG8) Hypochlorites D SW1 Protected from sources of heat. SW11 Cargo transport units shall be shaded from direct sunlight. Packages in cargo transport units shall be stowed so as to allow for adequate air circulation throughout the cargo. SG35 Stow "separated from" SGG1-acids SG38 Stow "separated from" SGG2-ammonium compounds. SG49 Stow "separated from" SGG6-cyanides SG53 Shall not be stowed together with combustible material in the same cargo transport unit SG60 Stow "separated from" SGG16-peroxides
<ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments 	Not applicable
<ul style="list-style-type: none"> · Transport/Additional information: 	Amounts up to 5kg or 5L per single or inner package do not require the Environmentally Hazardous mark in accordance with ADR 5.2.1.8.1 and IMDG 2.10.2.7. Do not transport with food and feedstuffs.
<ul style="list-style-type: none"> · ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code 	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g 2 E
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
<ul style="list-style-type: none"> · UN "Model Regulation": 	UN 3487 CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE MIXTURE, 5.1 (8), II, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Poisons Act**

- **Regulated explosives precursors**

None of the ingredients are listed.

- **Regulated poisons**

None of the ingredients are listed.

- **Reportable explosives precursors**

None of the ingredients are listed.

- **Reportable poisons**

None of the ingredients are listed.

(Contd. on page 11)



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 5.2 (replaces version 5.1)

Revision date: 26.05.2026

Trade name: PPG Deluxe Rapid Shock

(Contd. of page 10)

<ul style="list-style-type: none"> · Per- and polyfluoroalkyl substances (PFAS)

None of the ingredients are listed.

<ul style="list-style-type: none"> · Control Of Major Accident Hazards Regulations 2015 (COMAH)

<ul style="list-style-type: none"> · Named dangerous substances - ANNEX I None of the ingredients are listed.

<ul style="list-style-type: none"> · COMAH category

P8

E1

<ul style="list-style-type: none"> · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

<ul style="list-style-type: none"> · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
--

<ul style="list-style-type: none"> · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients are listed.

<ul style="list-style-type: none"> · REGULATION (EU) 2019/1148
--

<ul style="list-style-type: none"> · Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients are listed.

<ul style="list-style-type: none"> · Annex II - REPORTABLE EXPLOSIVES PRECURSORS
--

None of the ingredients are listed.

<ul style="list-style-type: none"> · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
--

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Relevant phrases**

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

EUH031 Contact with acids liberates toxic gas.

EUH071 Corrosive to the respiratory tract.

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

- **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

- **Department issuing SDS:** Product safety department.

- **Date of previous version:** 29.03.2025

- **Version number of previous version:** 5.1

- **Abbreviations and acronyms:**

UK REACH: REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB CLP: REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

UFI: Unique Formula Identifier

UK- REACH: The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB- CLP: Retained GB CLP Regulation (EU) No. 1272/2008 as amended for Great Britain on the Classification, Labelling and Packaging of Chemicals.

(Contd. on page 12)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 5.2 (replaces version 5.1)

Revision date: 26.05.2026

Trade name: PPG Deluxe Rapid Shock

(Contd. of page 11)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Ox. Sol. 2: Oxidizing solids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

· * **Data compared to the previous version altered.**

GB
