



Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 8.1 (replaces version 8.0)

Revision date: 26.05.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: tubhub SpaGlo Acrylic Cleaner & Polish

Product Code: SPASPRK05GC

Registration number Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product category PC31 Polishes and wax blends

Application of the substance / the mixture Swimming pool product

Uses advised against

Processes involving extreme heat use advised against.

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

1.3 Details of the supplier of the safety data sheet

Supplier:

Golden Coast Ltd
Fishleigh Road
Roundswell Commercial Park West
Barnstaple
Devon, EX31 3UA

Tel: +44 (0)1271 378 100

Email: swimmer@goldenc.com

Further information obtainable from: Product safety department.

1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to GB-CLP

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to GB-CLP The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms Not applicable

Signal word Not applicable

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local regulations.

Additional information:

EUH208 Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Contains biocidal active substance(s): Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

The Detergents (Amendment) (EU Exit) Regulations 2020 / Labelling for contents

Table with 2 columns: Component name and percentage. Row 1: non-ionic surfactants <5%. Row 2: disinfectants, preservation agents (dimethyloctadecyl[3-(trimethoxysilyl)propyl]ammonium chloride, Methylchloroisothiazolinone (and) Methylisothiazolinone)

(Contd. on page 2)

## Safety Data Sheet

### according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 8.1 (replaces version 8.0)

Revision date: 26.05.2026

**Trade name: tubhub SpaGlo Acrylic Cleaner & Polish**

(Contd. of page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **Determination of endocrine-disrupting properties** Not applicable

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 27668-52-6 Reg.nr.: 01-2120249977-36-XXXX	dimethyloctadecyl[3-(trimethoxysilyl)propyl]ammonium chloride ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.25 – < 1%
CAS: 67-56-1 EINECS: 200-659-6 Index number: 603-001-00-X Reg.nr.: 01-2119433307-44-XXXX	Methanol ⚠ Flam. Liq. 2, H225; ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ⚠ STOT SE 1, H370 ATE: LD50 oral: 100 mg/kg LD50 dermal: 300 mg/kg LC50/4 h inhalative: 3 mg/l Specific concentration limits: STOT SE 1; H370: C ≥ 10% STOT SE 2; H371: 3 % ≤ C < 10 %	0.1 – 1%
CAS: 55965-84-9 EC number: 911-418-6 Reg.nr.: 01-2120764691-48-XXXX	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Consisting of: 26172-55-4 5-chloro-2-methyl-2H-isothiazol-3-one (75%); 2682-20-4 2-methyl-2H-isothiazol-3-one (25%) ⚠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 66 mg/kg LD50 dermal: > 141 mg/kg LC50/4 h inhalative: 0.33 mg/l Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	0.00025 – < 0.0015%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)



## Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 8.1 (replaces version 8.0)

Revision date: 26.05.2026

---

**Trade name: tubhub SpaGlo Acrylic Cleaner & Polish**

---

(Contd. of page 2)

- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
  - **After eye contact:**  
Check for and remove any contact lenses.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
  - **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.  
If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
  - **Information for doctor:** Treat symptomatically and supportively.
  - **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
  - **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.
- 

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
  - **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.  
Use fire extinguishing methods suitable to surrounding conditions.
  - **For safety reasons unsuitable extinguishing agents:** Water with full jet
  - **5.2 Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide and carbon dioxide  
Chlorine compounds  
Nitrogen oxides (NO<sub>x</sub>)
  - **5.3 Advice for firefighters**
  - **Protective equipment:**  
Wear fully protective suit.  
Do not inhale explosion gases or combustion gases.  
Wear self-contained respiratory protective device.
- 

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Particular danger of slipping on leaked/spilled product.  
Ensure adequate ventilation
  - **6.2 Environmental precautions:**  
Do not allow to penetrate the ground/soil.  
Do not allow product to reach sewage system or any water course in the undiluted form.  
Inform respective authorities in case of seepage into water course or sewage system.
  - **6.3 Methods and material for containment and cleaning up:**  
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
  - **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- 

GB

(Contd. on page 4)

## Safety Data Sheet

### according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 8.1 (replaces version 8.0)

Revision date: 26.05.2026

**Trade name: tubhub SpaGlo Acrylic Cleaner & Polish**

(Contd. of page 3)

### SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**
**Storage:**
**Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

**Information about storage in one common storage facility:** Store away from oxidising agents.

**Further information about storage conditions:**

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

**Storage class:** 12

**7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

**8.1 Control parameters**
**Ingredients with limit values that require monitoring at the workplace:**
**CAS: 67-56-1 Methanol**

 WEL Short-term value: 333 mg/m<sup>3</sup>, 250 ppm

 Long-term value: 266 mg/m<sup>3</sup>, 200 ppm

Sk

**DNELs**
**CAS: 27668-52-6 dimethyloctadecyl[3-(trimethoxysilyl)propyl]ammonium chloride**

Oral Long-term systemic effects 500 µg/kg bw/day (general population)

Dermal Long-term systemic effects 1.18 mg/kg bw/day (general population)

9.9 mg/kg bw/day (worker)

 Inhalative Long-term systemic effects 0.74 mg/m<sup>3</sup> (general population)

 4.93 mg/m<sup>3</sup> (worker)

**CAS: 67-56-1 Methanol**

Oral Long-term systemic effects 4 mg/kg bw/day (general population)

Short-term systemic effects 4 mg/kg bw/day (general population)

Dermal Long-term systemic effects 4 mg/kg bw/day (general population)

20 mg/kg bw/day (worker)

Short-term systemic effects 4 mg/kg bw/day (general population)

20 mg/kg bw/day (worker)

 Inhalative Long-term systemic effects 26 mg/m<sup>3</sup> (general population)

 130 mg/m<sup>3</sup> (worker)

 Short-term systemic effects 26 mg/m<sup>3</sup> (general population)

 130 mg/m<sup>3</sup> (worker)

 Long-term local effects 26 mg/m<sup>3</sup> (general population)

 130 mg/m<sup>3</sup> (worker)

(Contd. on page 5)

## Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 8.1 (replaces version 8.0)

Revision date: 26.05.2026

**Trade name: tubhub SpaGlo Acrylic Cleaner & Polish**

(Contd. of page 4)

	Short-term local effects	26 mg/m <sup>3</sup> (general population) 130 mg/m <sup>3</sup> (worker)
<b>CAS: 55965-84-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)</b>		
Oral	Long-term systemic effects	90 µg/kg bw/day (general population)
	Short-term systemic effects	110 µg/kg bw/day (general population)
Inhalative	Long-term local effects	20 µg/m <sup>3</sup> (general population) 20 µg/m <sup>3</sup> (worker)
	Short-term local effects	40 µg/m <sup>3</sup> (general population) 40 µg/m <sup>3</sup> (worker)

**· PNECs**
**CAS: 27668-52-6 dimethyloctadecyl[3-(trimethoxysilyl)propyl]ammonium chloride**

Freshwater	510 ng/L
Freshwater - Intermittent releases	5.1 µg/L
Marine water	51 ng/L
Marine Water - Intermittent releases	510 ng/L
Sewage Treatment Plant	6.694 mg/L
Sediment (freshwater)	2,450 mg/kg
Sediment (marine water)	244.9 mg/kg
Soil	489.7 mg/kg

**CAS: 55965-84-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)**

Freshwater	3.39 µg/L
Freshwater - Intermittent releases	3.39 µg/L
Marine water	3.39 µg/L
Marine Water - Intermittent releases	3.39 µg/L
Sewage Treatment Plant	230 µg/L
Sediment (freshwater)	27 µg/kg
Sediment (marine water)	27 µg/kg
Soil	10 µg/kg

**· Additional information:** The lists valid during the making were used as basis.

**· 8.2 Exposure controls**
**· Appropriate engineering controls** No further data; see section 7.

**· Individual protection measures, such as personal protective equipment**
**· General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working.

Take note of assigned Workplace Exposure Limits.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

**· Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

**· Hand protection**


Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

(Contd. on page 6)

## Safety Data Sheet

### according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 8.1 (replaces version 8.0)

Revision date: 26.05.2026

**Trade name: tubhub SpaGlo Acrylic Cleaner & Polish**

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

· **Body protection:**



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· <b>Physical state</b>	Liquid
· <b>Colour:</b>	Whitish
· <b>Odour:</b>	Mild
· <b>Melting point/freezing point:</b>	Undetermined
· <b>Boiling point or initial boiling point and boiling range</b>	Undetermined
· <b>Flammability</b>	Not applicable
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	Not determined
· <b>Upper:</b>	Not determined
· <b>Flash point:</b>	Not applicable
· <b>Decomposition temperature:</b>	Not determined
· <b>pH</b>	Not determined
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined
· <b>Dynamic:</b>	Not determined
· <b>Solubility</b>	
· <b>water:</b>	Emulsifiable.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined
· <b>Vapour pressure:</b>	Not determined
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	1.002 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined
· <b>Vapour density</b>	Not determined
· <b>Particle characteristics</b>	Not applicable

· **9.2 Other information**

NOTE: The physical data presented above are typical values and should not be construed as a specification.

(Contd. on page 7)



## Safety Data Sheet

### according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 8.1 (replaces version 8.0)

Revision date: 26.05.2026

Trade name: tubhub SpaGlo Acrylic Cleaner &amp; Polish

(Contd. of page 6)

· <b>Appearance:</b>	
· <b>Form:</b>	Emulsion
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not self-igniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Solvent content:</b>	
· <b>VOC (EC)</b>	0.15 %
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined
· <b>Information with regard to physical hazard classes</b>	
· <b>Oxidising solids</b>	Not applicable

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Strong oxidising agents.
- **10.6 Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

#### · **LD/LC50 values relevant for classification:**

##### ATE (Acute Toxicity Estimates)

Oral	LD50	66,667 mg/kg
Dermal	LD50	200,000 mg/kg
Inhalative	LC50/4 h	2,000 mg/l

#### CAS: 55965-84-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Oral	LD50	66 mg/kg (ATE)
Dermal	LD50	> 141 mg/kg (ATE)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 8)



Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 8.1 (replaces version 8.0)

Revision date: 26.05.2026

Trade name: tubhub SpaGlo Acrylic Cleaner & Polish

(Contd. of page 7)

- Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
Additional toxicological information: Repeated or prolonged skin contact may induce sensitisation.
11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

- 12.1 Toxicity
12.2 Aquatic toxicity: No further relevant information available.
12.3 Persistence and degradability The organic portion of the product is biodegradable.
12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
12.4 Mobility in soil No further relevant information available.
12.5 Results of PBT and vPvB assessment
PBT: Not applicable
vPvB: Not applicable
12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
12.7 Other adverse effects
Remark: Harmful to fish
Additional ecological information:
General notes:
Harmful to aquatic organisms
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

\* SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
Recommendation
Recommended Hierarchy of Controls:
- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Contact waste processors for recycling information.
Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

UK List of Waste

HP14 Ecotoxic

- Uncleaned packaging:
Recommendation:
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
Disposal must be made according to official regulations.
Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.
Recommended cleansing agents: Water, if necessary together with cleansing agents.



## Safety Data Sheet

### according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 8.1 (replaces version 8.0)

Revision date: 26.05.2026

Trade name: tubhub SpaGlo Acrylic Cleaner &amp; Polish

(Contd. of page 8)

### SECTION 14: Transport information

· <b>14.1 UN number or ID number</b> · ADR, ADN, IMDG, IATA	Not applicable
· <b>14.2 UN proper shipping name</b> · ADR, ADN, IMDG, IATA	Not applicable
· <b>14.3 Transport hazard class(es)</b> · ADR, ADN, IMDG, IATA · Class	Not applicable
· <b>14.4 Packing group</b> · ADR, IMDG, IATA	Not applicable
· <b>14.5 Environmental hazards:</b> · Marine pollutant:	No
· <b>14.6 Special precautions for user</b>	Not applicable
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	Not applicable

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Poisons Act

· <b>Regulated explosives precursors</b>	None of the ingredients are listed.
· <b>Regulated poisons</b>	None of the ingredients are listed.
· <b>Reportable explosives precursors</b>	None of the ingredients are listed.
· <b>Reportable poisons</b>	None of the ingredients are listed.
· <b>Per- and polyfluoroalkyl substances (PFAS)</b>	None of the ingredients are listed.
· <b>Control Of Major Accident Hazards Regulations 2015 (COMAH)</b>	
· <b>Named dangerous substances - ANNEX I</b>	None of the ingredients are listed.
· <b>REGULATION (EC) No 1907/2006 ANNEX XVII</b>	Conditions of restriction: 3, 69
· <b>DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II</b>	None of the ingredients are listed.
· <b>REGULATION (EU) 2019/1148</b>	
· <b>Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))</b>	
	None of the ingredients are listed.

(Contd. on page 10)

## Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 26.05.2026

Version number: 8.1 (replaces version 8.0)

Revision date: 26.05.2026

**Trade name: tubhub SpaGlo Acrylic Cleaner & Polish**

(Contd. of page 9)

**· Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients are listed.

**· 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**· Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H370 Causes damage to organs.
- H371 May cause damage to organs.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

**· Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

**· Department issuing SDS:** Product safety department.**· Date of previous version:** 28.02.2025**· Version number of previous version:** 8.0**· Abbreviations and acronyms:**

UK REACH: REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB CLP: REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

UFI: Unique Formula Identifier

UK- REACH: The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB- CLP: Retained GB CLP Regulation (EU) No. 1272/2008 as amended for Great Britain on the Classification, Labelling and Packaging of Chemicals.

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

(Contd. on page 11)

—GB—

**Safety Data Sheet**  
**according to UK REACH (SI 2020/1577) as amended**

Issue date: 26.05.2026

Version number: 8.1 (replaces version 8.0)

Revision date: 26.05.2026

---

**Trade name: tubhub SpaGlo Acrylic Cleaner & Polish**

---

(Contd. of page 10)

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· \* **Data compared to the previous version altered.**

---

GB

---