



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 24.07.2026

Version number: 6.1 (replaces version 6.0)

Revision date: 24.07.2026

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- Trade name: Super 6 Multifunctional Chlorine Tablets
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Product category PC37 Water treatment chemicals
- Application of the substance / the mixture Disinfectant
- Uses advised against Any use not specified above.

· 1.3 Details of the supplier of the safety data sheet

· Supplier:

Golden Coast Ltd
Fishleigh Road
Roundswell Commercial Park West
Barnstaple
Devon, EX31 3UA

Tel: +44 (0)1271 378 100

Email: swimmer@goldenc.com

- Further information obtainable from: Product safety department.

· 1.4 Emergency telephone number:

OHES Environmental

Tel: 01242 300271

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to GB-CLP

Acute Tox. 4	H302 Harmful if swallowed.
Eye Irrit. 2	H319 Causes serious eye irritation.
STOT SE 3	H335 May cause respiratory irritation.
Aquatic Acute 1	H400 Very toxic to aquatic life.
Aquatic Chronic 1	H410 Very toxic to aquatic life with long lasting effects.

· 2.2 Label elements

- Labelling according to GB-CLP The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS07 GHS09

· Signal word Warning

· Hazard-determining components of labelling:

symclosene

· Hazard statements

H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)

GB



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 24.07.2026

Version number: 6.1 (replaces version 6.0)

Revision date: 24.07.2026

Trade name: Super 6 Multifunctional Chlorine Tablets

(Contd. of page 1)

Precautionary statements

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear eye protection / face protection.
- P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local regulations.

Additional information:

- EUH031 Contact with acids liberates toxic gas.
- EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).
- Contains biocidal active substance(s): symclosene, Copper Sulphate Pentahydrate

2.3 Other hazards**Results of PBT and vPvB assessment**

- PBT:** Not applicable
- vPvB:** Not applicable
- Determination of endocrine-disrupting properties** Not applicable

SECTION 3: Composition/information on ingredients

3.2 Mixtures

- Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 87-90-1 EINECS: 201-782-8 Index number: 613-031-00-5 Reg.nr.: 01-2120767978-27-XXXX	symclosene ⚠ Ox. Sol. 2, H272; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335, EUH031	50 – 100%
CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2 Reg.nr.: 01-2119485498-19-XXXX	Sodium carbonate ⚠ Eye Irrit. 2, H319	10 – 25%
CAS: 10043-01-3 EINECS: 233-135-0 Reg.nr.: 01-2119531538-36-XXXX	Aluminium sulphate ⚠ Met. Corr.1, H290; Eye Dam. 1, H318	1 – 2.5%
CAS: 7758-99-8 EC number: 616-477-9 Index number: 029-023-00-4	Copper Sulphate Pentahydrate ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ⚠ Acute Tox. 4, H302 ATE: LD50 oral: 481 mg/kg	0.25 – < 1%

- Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures**General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation:** Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

(Contd. on page 3)



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 24.07.2026

Version number: 6.1 (replaces version 6.0)

Revision date: 24.07.2026

Trade name: Super 6 Multifunctional Chlorine Tablets

(Contd. of page 2)

- **After eye contact:**
Check for and remove any contact lenses.
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Call for a doctor immediately.
- **Information for doctor:** Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed**
Poisonous vapor (chlorine gas) is corrosive to respiratory passages and may cause irritation of mouth, nose, and throat.
- **Hazards** Danger of pulmonary oedema.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
Water
Carbon dioxide
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:**
Extinguishing powder
Foam
Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Chlorine gas
Nitrogen oxides (NO_x)
Sulphur Oxides (SO_x)
Toxic metal oxide smoke
Cyanogen chloride
Hydrogen chloride (HCl)
Phosgene gas
Nitrogen trichloride (explosion hazard).
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.
Wear fully protective suit.
- **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid formation of dust.
Ensure adequate ventilation
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Do not allow to penetrate the ground/soil.
Do not allow product to reach sewage system or any water course.

(Contd. on page 4)

GB



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 24.07.2026

Version number: 6.1 (replaces version 6.0)

Revision date: 24.07.2026

Trade name: Super 6 Multifunctional Chlorine Tablets

(Contd. of page 3)

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Every attempt should be made to avoid mixing spilled material with other chemicals or debris when cleaning up.

Send for recovery or disposal in suitable receptacles.

DO NOT transport wet or damp material. Damp material should be neutralized to a safe state.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Provide suction extractors if dust is formed.

Do not refill residue into storage receptacles.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Never add water to the product. Always add product to large quantities of water.

Prevent formation of dust.

Do not mix with acids.

Rinse contaminated clothing with plenty of water (Fire hazard)

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by storerooms and receptacles:**

Store only in the original receptacle.

Do not store on combustible materials such as wooden floors or wooden pallets.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

Storage class: 11**7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters**Ingredients with limit values that require monitoring at the workplace:**

CAS: 10043-01-3 Aluminium sulphate

WEL Long-term value: 2 mg/m³

DNELs

CAS: 87-90-1 symclosene

Oral Long-term systemic effects 1.14 mg/kg bw/day (general population)

(Contd. on page 5)



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 24.07.2026

Version number: 6.1 (replaces version 6.0)

Revision date: 24.07.2026

Trade name: Super 6 Multifunctional Chlorine Tablets

(Contd. of page 4)

Dermal	Long-term systemic effects	1.14 mg/kg bw/day (general population) 2.28 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	1.98 mg/m ³ (general population) 8.04 mg/m ³ (worker)

CAS: 497-19-8 Sodium carbonate

Inhalative	Long-term local effects	5 mg/m ³ (general population) 10 mg/m ³ (worker)
------------	-------------------------	---

CAS: 10043-01-3 Aluminium sulphate

Oral	Long-term systemic effects	1.9 mg/kg bw/day (general population)
	Short-term systemic effects	92.4 mg/kg bw/day (general population)
Dermal	Short-term systemic effects	23.35 mg/kg bw/day (general population) 46.7 mg/kg bw/day (worker)
	Long-term systemic effects	855 µg/kg bw/day (general population) 1,710 µg/kg bw/day (worker)
	Short-term systemic effects	441 µg/kg bw/day (general population) 882 µg/kg bw/day (worker)
	Long-term local effects	441 µg/kg bw/day (general population) 882 µg/kg bw/day (worker)
Inhalative	Long-term systemic effects	1.5 mg/m ³ (general population) 3 mg/m ³ (worker)
	Short-term systemic effects	1 mg/m ³ (general population) 2 mg/m ³ (worker)
	Long-term local effects	1.5 mg/m ³ (general population) 3 mg/m ³ (worker)
	Short-term local effects	1 mg/m ³ (general population) 2 mg/m ³ (worker)

· PNECs**CAS: 87-90-1 symclosene**

Freshwater	0.17 – 12,100 µg/L
Freshwater - Intermittent releases	1.7 – 6,550 µg/L
Marine water	1.52 mg/L
Sewage Treatment Plant	590 – 204,100 µg/L
Sediment (freshwater)	7.56 mg/kg
Sediment (marine water)	756 µg/kg
Soil	756 µg/kg

CAS: 10043-01-3 Aluminium sulphate

Freshwater	4.5 mg/L
Freshwater - Intermittent releases	30.11 mg/L
Marine water	64 mg/L
Sewage Treatment Plant	60.2 mg/L
Sediment (freshwater)	10 mg/kg
Sediment (marine water)	31.4 mg/kg
Air	2 mg/m ³

(Contd. on page 6)



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 24.07.2026

Version number: 6.1 (replaces version 6.0)

Revision date: 24.07.2026

Trade name: Super 6 Multifunctional Chlorine Tablets

(Contd. of page 5)

Soil	58 mg/kg
Secondary poisoning	150 mg/kg food

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Appropriate engineering controls** No further data; see section 7.

- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Do not breathe dust

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

Contaminated clothes are a fire hazard. Rinse with plenty of water.

- **Respiratory protection:**

For nuisance exposures use type N95 (US) or type FFP2 (EU EN 149) face mask.

For higher level protection use type OV/AG/P99 (US) or type P3 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CE (EU).

Acid gas cartridges with N95 filters are required when fumes or vapor may be generated.

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

- **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

Natural rubber, NR

Nitrile rubber, NBR

Neoprene gloves

Butyl rubber, BR

PVC gloves

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

Break-through time: > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

(Contd. on page 7)

GB



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 24.07.2026

Version number: 6.1 (replaces version 6.0)

Revision date: 24.07.2026

Trade name: Super 6 Multifunctional Chlorine Tablets

(Contd. of page 6)

· Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

- **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.
- **Risk management measures** The operators shall be instructed adequately.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

- | | |
|--|----------------|
| · Physical state | Solid |
| · Colour: | White |
| · Odour: | Chlorine-like |
| · Melting point/freezing point: | Undetermined |
| · Boiling point or initial boiling point and boiling range | Undetermined |
| · Flammability | Not determined |
| · Lower and upper explosion limit | |
| · Lower: | Not determined |
| · Upper: | Not determined |
| · Flash point: | Not applicable |
| · Decomposition temperature: | Not determined |
| · pH at 20 °C | 6 (1%) |
| · Viscosity: | |
| · Kinematic viscosity | Not applicable |
| · Dynamic: | Not applicable |
| · Solubility | |
| · water: | Soluble. |
| · Partition coefficient n-octanol/water (log value) | Not determined |
| · Vapour pressure: | Not applicable |
| · Density and/or relative density | |
| · Density: | Not determined |
| · Relative density | Not determined |
| · Vapour density | Not applicable |
| · Particle characteristics | See section 3. |

· 9.2 Other information

- | | |
|---|---|
| · Appearance: | |
| · Form: | Tablets |
| · Important information on protection of health and environment, and on safety. | |
| · Ignition temperature: | Product is not self-igniting. |
| · Explosive properties: | Product does not present an explosion hazard. |
| · Change in condition | |
| · Evaporation rate | Not applicable. |

· Information with regard to physical hazard classes

- | | |
|--------------------|----------------|
| · Oxidising solids | Not applicable |
|--------------------|----------------|

GB

(Contd. on page 8)



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 24.07.2026

Version number: 6.1 (replaces version 6.0)

Revision date: 24.07.2026

Trade name: Super 6 Multifunctional Chlorine Tablets

(Contd. of page 7)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.
- **10.3 Possibility of hazardous reactions**
Do not get water inside container. Wet material may generate nitrogen trichloride, an explosion hazard.
Reacts with strong alkali.
Reacts with amines.
Reacts with oxidising agents.
Strong exothermic reaction with acids.
Reacts with flammable substances.
Reacts with acids releasing chlorine.
Reacts with reducing agents.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:** Substances specifically listed in section 10.3 as incompatible.
- **10.6 Hazardous decomposition products:**
Chlorine
Cyanogen chloride
Nitrogen oxides (NO_x)
Phosgene
Sulphur oxides (SO_x)
Toxic metal oxide smoke

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	501.85 mg/kg (rat)
------	------	--------------------

CAS: 87-90-1 symclosene

Oral	LD50	406 mg/kg (rat)
------	------	-----------------

CAS: 497-19-8 Sodium carbonate

Oral	LD50	> 5,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)

CAS: 10043-01-3 Aluminium sulphate

Oral	LD50	> 2,000 mg/kg (rat)
Dermal	LD50	> 5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 5 mg/l (rat)

CAS: 7758-99-8 Copper Sulphate Pentahydrate

Oral	LD50	481 mg/kg (ATE) 481 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

(Contd. on page 9)



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 24.07.2026

Version number: 6.1 (replaces version 6.0)

Revision date: 24.07.2026

Trade name: Super 6 Multifunctional Chlorine Tablets

(Contd. of page 8)

- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**
May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
- **Additional toxicological information:**
Inhalation of decomposition products may cause lung oedema. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Attention by a doctor should be considered.
- **11.2 Information on other hazards**

· Endocrine disrupting properties
None of the ingredients are listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 497-19-8 Sodium carbonate	
LC50 (96 h)	200 mg/l (Bacteria)
CAS: 7758-99-8 Copper Sulphate Pentahydrate	
LC50 (96 h)	0.81 mg/l (Fish)
EC50 (48 h)	0.025 mg/l (Daphnia)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** Contains components with the potential to bioaccumulate.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**
Very toxic for aquatic organisms
Also poisonous for fish and plankton in water bodies.
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

(Contd. on page 10)



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 24.07.2026

Version number: 6.1 (replaces version 6.0)

Revision date: 24.07.2026

Trade name: Super 6 Multifunctional Chlorine Tablets

(Contd. of page 9)

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· UK List of Waste

HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity
HP12	Release of an acute toxic gas
HP14	Ecotoxic

· Uncleaned packaging:**· Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.**SECTION 14: Transport information**

· 14.1 UN number or ID number	
· ADR, IMDG, IATA	UN3077
· 14.2 UN proper shipping name	
· ADR	UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TRICHLOROISOCYANURIC ACID)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TRICHLOROISOCYANURIC ACID), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TRICHLOROISOCYANURIC ACID)
· 14.3 Transport hazard class(es)	
· ADR	
	
· Class	9 (M7) Miscellaneous dangerous substances and articles.
· Label	9
· IMDG	
	
· Class	9 Miscellaneous dangerous substances and articles.

(Contd. on page 11)



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 24.07.2026

Version number: 6.1 (replaces version 6.0)

Revision date: 24.07.2026

Trade name: Super 6 Multifunctional Chlorine Tablets

(Contd. of page 10)

· Label	9
· IATA	
 	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· 14.4 Packing group	
· ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	
· Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Hazard identification number (Kemler code):	90
· Emergency Action Code:	2Z
· EMS Number:	F-A,S-F
· Stowage Category	A
· Stowage Code	SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable
· Transport/Additional information:	Amounts up to 5kg or 5L per single or inner package are not regulated according to ADR/RID/IMDG SP 375 and IATA SP A197. DO NOT transport wet or damp product.
· ADR	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· Transport category	3
· Tunnel restriction code	(-)
· IMDG	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS S U B S T A N C E , S O L I D , N . O . S . (TRICHLOROISOCYANURIC ACID), 9, III

— GB —

(Contd. on page 12)



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 24.07.2026

Version number: 6.1 (replaces version 6.0)

Revision date: 24.07.2026

Trade name: Super 6 Multifunctional Chlorine Tablets

(Contd. of page 11)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors**

None of the ingredients are listed.

- **Regulated poisons**

None of the ingredients are listed.

- **Reportable explosives precursors**

None of the ingredients are listed.

- **Reportable poisons**

None of the ingredients are listed.

- **Per- and polyfluoroalkyl substances (PFAS)**

None of the ingredients are listed.

- **Control Of Major Accident Hazards Regulations 2015 (COMAH)**

- **Named dangerous substances - ANNEX I** None of the ingredients are listed.

- **COMAH category E1**

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients are listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients are listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients are listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Relevant phrases**

H272 May intensify fire; oxidiser.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH031 Contact with acids liberates toxic gas.

(Contd. on page 13)

GB



Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 24.07.2026

Version number: 6.1 (replaces version 6.0)

Revision date: 24.07.2026

Trade name: Super 6 Multifunctional Chlorine Tablets

(Contd. of page 12)

· Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· Department issuing SDS: Product safety department.**· Date of previous version:** 27.01.2025**· Version number of previous version:** 6.0**· Abbreviations and acronyms:**

UK REACH: REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB CLP: REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

UFI: Unique Formula Identifier

UK- REACH: The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB- CLP: Retained GB CLP Regulation (EU) No. 1272/2008 as amended for Great Britain on the Classification, Labelling and Packaging of Chemicals.

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Ox. Sol. 2: Oxidizing solids – Category 2

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· * Data compared to the previous version altered.

GB