



## Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Date of issue: 24.08.2026

Version number: 5.1 (replaces version 5.0)

Revision date: 24.08.2026

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

· Trade name: Super Flocculant

· Registration number Mixture

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Product category

PC37 Water treatment chemicals

PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents

· Application of the substance / the mixture Flocculant/ Flocculating agent

· Uses advised against

Processes involving extreme heat use advised against.

Processes involving the use of incompatible substances - refer to section 10.

· 1.3 Details of the supplier of the safety data sheet

· Supplier:

Golden Coast Ltd

Fishleigh Road

Roundswell Commercial Park West

Barnstaple

Devon, EX31 3UA

Tel: +44 (0)1271 378 100

Email: swimmer@goldenc.com

· Further information obtainable from: Product safety department.

· 1.4 Emergency telephone number:

OHES Environmental

Tel: 01242 300271

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to GB-CLP

Met. Corr.1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.

· Additional information: The full text of the classification and labelling elements mentioned is given in Section 16.

· 2.2 Label elements

· Labelling according to GB-CLP The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS05

· Signal word Danger

· Hazard-determining components of labelling:

Aluminium Chloride, Basic

· Hazard statements

H290 May be corrosive to metals.

H318 Causes serious eye damage.

· Precautionary statements

P234 Keep only in original packaging.

(Contd. on page 2)

GB



## Safety Data Sheet

### according to UK REACH (SI 2020/1577) as amended

Date of issue: 24.08.2026

Version number: 5.1 (replaces version 5.0)

Revision date: 24.08.2026

**Trade name: Super Flocculant**

(Contd. of page 1)

- P280 Wear eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P390 Absorb spillage to prevent material damage.  
P406 Store in a corrosion resistant container / container with a resistant inner liner.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **Determination of endocrine-disrupting properties** Not applicable

## \* SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Aqueous solution of the substance(s) listed below.

- **Dangerous components:**

|                                |                                      |          |
|--------------------------------|--------------------------------------|----------|
| CAS: 1327-41-9                 | Aluminium Chloride, Basic            | 10 – 25% |
| EINECS: 215-477-2              | Met. Corr. 1, H290; Eye Dam. 1, H318 |          |
| Reg.nr.: 01-2119531563-43-XXXX |                                      |          |

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Check for and remove any contact lenses.  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
If symptoms persist consult doctor.
- **Information for doctor:** Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO2, powder or water spray. Fight larger fires with water spray.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Hydrogen chloride (HCl)  
Chlorine compounds  
Reacts with most metals to produce hydrogen gas, which can form explosive mixtures with air.

(Contd. on page 3)

GB



## Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Date of issue: 24.08.2026

Version number: 5.1 (replaces version 5.0)

Revision date: 24.08.2026

**Trade name: Super Flocculant**

(Contd. of page 2)

**· 5.3 Advice for firefighters****· Protective equipment:**

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Wear fully protective suit.

**· Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

**· 6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

**· 6.2 Environmental precautions:**

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

**· 6.3 Methods and material for containment and cleaning up:**

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Lime slurry can be used to neutralize material (e.g. 10 - 50% potassium carbonate solution or 10 - 30% sodium carbonate solution).

Wash the area with plenty of water.

**· 6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

**· 7.1 Precautions for safe handling**

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Safety showers and eye wash facilities should be available at the work area.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**· Information about fire - and explosion protection:** No special measures required.**· 7.2 Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:**

Prevent any seepage into the ground.

Do not store in aluminium or galvanised containers.

**· Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidising agents.

Store away from reducing agents.

**· Further information about storage conditions:**

Protect from frost.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

**· Storage class:** 12

(Contd. on page 4)

GB



## Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Date of issue: 24.08.2026

Version number: 5.1 (replaces version 5.0)

Revision date: 24.08.2026

Trade name: Super Flocculant

(Contd. of page 3)

- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs**

**CAS: 1327-41-9 Aluminium Chloride, Basic**

|            |                            |                                                                             |
|------------|----------------------------|-----------------------------------------------------------------------------|
| Oral       | Long-term systemic effects | 2.3 mg/kg bw/day (general population)                                       |
| Dermal     | Long-term systemic effects | 2.32 mg/kg bw/day (general population)<br>4.6 mg/kg bw/day (worker)         |
| Inhalative | Long-term systemic effects | 4 mg/m <sup>3</sup> (general population)<br>16.4 mg/m <sup>3</sup> (worker) |

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Appropriate engineering controls** No further data; see section 7.

- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat or drink while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

- **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Filter P2

- **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

PVC gloves

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

Break-through time: > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**



Tightly sealed goggles conforming to EN166.

(Contd. on page 5)

GB



## Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Date of issue: 24.08.2026

Version number: 5.1 (replaces version 5.0)

Revision date: 24.08.2026

Trade name: Super Flocculant

(Contd. of page 4)

**· Body protection:**

Impervious protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

- **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.
- **Risk management measures** The operators shall be instructed adequately.

### \* SECTION 9: Physical and chemical properties

**· 9.1 Information on basic physical and chemical properties****· General Information**

|                                                            |                               |
|------------------------------------------------------------|-------------------------------|
| · Physical state                                           | Liquid                        |
| · Colour:                                                  | Pale yellow                   |
| · Odour:                                                   | Mild                          |
| · Melting point/freezing point:                            | Undetermined                  |
| · Boiling point or initial boiling point and boiling range | 100 °C (CAS: 7732-18-5 Water) |
| · Flammability                                             | Not applicable                |
| · Lower and upper explosion limit                          |                               |
| · Lower:                                                   | Not determined                |
| · Upper:                                                   | Not determined                |
| · Flash point:                                             | Not applicable                |
| · Decomposition temperature:                               | Not determined                |
| · pH at 20 °C                                              | 0.5 – 1.5                     |
| · Viscosity:                                               |                               |
| · Kinematic viscosity                                      | Not determined                |
| · Dynamic:                                                 | Not determined                |
| · Solubility                                               |                               |
| · water:                                                   | Fully miscible.               |
| · Partition coefficient n-octanol/water (log value)        | Not determined                |
| · Vapour pressure:                                         | Not determined                |
| · Density and/or relative density                          |                               |
| · Density at 20 °C:                                        | 1.17 – 1.2 g/cm <sup>3</sup>  |
| · Relative density                                         | Not determined                |
| · Vapour density                                           | Not determined                |
| · Particle characteristics                                 | Not applicable                |

**· 9.2 Other information**

|                                                                                 |                                               |
|---------------------------------------------------------------------------------|-----------------------------------------------|
| · Appearance:                                                                   |                                               |
| · Form:                                                                         | Liquid                                        |
| · Important information on protection of health and environment, and on safety. |                                               |
| · Ignition temperature:                                                         | Product is not self-igniting.                 |
| · Explosive properties:                                                         | Product does not present an explosion hazard. |
| · Solvent content:                                                              |                                               |
| · VOC (EC)                                                                      | 0.00 %                                        |
| · Change in condition                                                           |                                               |
| · Evaporation rate                                                              | Not determined                                |

**· Information with regard to physical hazard classes**

|                       |                             |
|-----------------------|-----------------------------|
| · Corrosive to metals | May be corrosive to metals. |
|-----------------------|-----------------------------|

GB

(Contd. on page 6)



## Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Date of issue: 24.08.2026

Version number: 5.1 (replaces version 5.0)

Revision date: 24.08.2026

Trade name: Super Flocculant

(Contd. of page 5)

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**  
Reacts with metals forming hydrogen.  
Exothermic reaction with alkalis
- **10.4 Conditions to avoid**  
Do not use at temperatures above 200 °C as dangerous decomposition products may be generated.
- **10.5 Incompatible materials:**  
Strong bases.  
Metals  
Hypochlorous acid and Hypochlorites  
Metal salts  
Sulphites
- **10.6 Hazardous decomposition products:** Hydrogen chloride (HCl)

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

|                                                      |      |                     |
|------------------------------------------------------|------|---------------------|
| · <b>LD/LC50 values relevant for classification:</b> |      |                     |
| <b>CAS: 1327-41-9 Aluminium Chloride, Basic</b>      |      |                     |
| Oral                                                 | LD50 | > 2,000 mg/kg (rat) |
| Dermal                                               | LD50 | > 2,000 mg/kg (rat) |

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
- **Additional toxicological information:**  
Ingestion of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- **11.2 Information on other hazards**

|                                          |
|------------------------------------------|
| · <b>Endocrine disrupting properties</b> |
| None of the ingredients are listed.      |

### SECTION 12: Ecological information

- **12.1 Toxicity**

|                                                 |                    |
|-------------------------------------------------|--------------------|
| · <b>Aquatic toxicity:</b>                      |                    |
| <b>CAS: 1327-41-9 Aluminium Chloride, Basic</b> |                    |
| LC50 (96 h)                                     | 38 mg/l (Bacteria) |

- **12.2 Persistence and degradability** Inorganic substance: not applicable
- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.

(Contd. on page 7)

GB



## Safety Data Sheet

### according to UK REACH (SI 2020/1577) as amended

Date of issue: 24.08.2026

Version number: 5.1 (replaces version 5.0)

Revision date: 24.08.2026

**Trade name: Super Flocculant**

(Contd. of page 6)

- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## \* SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Recommended Hierarchy of Controls:
  - Minimise waste;
  - Reuse if not contaminated;
  - Recycle, if possible; or
  - Safe disposal (if all else fails).Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Contact waste processors for recycling information.  
Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

### · **UK List of Waste**

HP4 Irritant - skin irritation and eye damage

HP8 Corrosive

- **Uncleaned packaging:**
- **Recommendation:**  
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.  
Disposal must be made according to official regulations.  
Container remains hazardous when empty. Continue to observe all precautions.  
Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

## \* SECTION 14: Transport information

- |                                       |                                                                             |
|---------------------------------------|-----------------------------------------------------------------------------|
| · <b>14.1 UN number or ID number</b>  | UN3264                                                                      |
| · <b>ADR, IMDG, IATA</b>              |                                                                             |
| · <b>14.2 UN proper shipping name</b> | UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Polyaluminium chloride) |
| · <b>ADR</b>                          |                                                                             |
| · <b>IMDG, IATA</b>                   | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Polyaluminium chloride)        |

(Contd. on page 8)

GB



## Safety Data Sheet

### according to UK REACH (SI 2020/1577) as amended

Date of issue: 24.08.2026

Version number: 5.1 (replaces version 5.0)

Revision date: 24.08.2026

Trade name: Super Flocculant

(Contd. of page 7)

#### · 14.3 Transport hazard class(es)

##### · ADR



- Class 8 (C1) Corrosive substances.
- Label 8

##### · IMDG, IATA



- Class 8 Corrosive substances.
- Label 8

#### · 14.4 Packing group

- ADR, IMDG, IATA III

- 14.5 Environmental hazards: Not applicable

#### · 14.6 Special precautions for user

- Hazard identification number (Kemler code): 80
- Emergency Action Code: 2X
- EMS Number: F-A,S-B
- Segregation groups (SGG1) Acids
- Stowage Category B
- Stowage Code SW2 Clear of living quarters.
- Segregation Code SG36 Stow "separated from" SGG18-alkalis.  
SG49 Stow "separated from" SGG6-cyanides

#### · 14.7 Maritime transport in bulk according to IMO instruments

Not applicable

#### · Transport/Additional information:

##### · ADR

- Limited quantities (LQ) 5L
- Excepted quantities (EQ) Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml
- Transport category 3
- Tunnel restriction code E

##### · IMDG

- Limited quantities (LQ) 5L
- Excepted quantities (EQ) Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml

#### · UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (POLYALUMINIUM CHLORIDE), 8, III

GB

(Contd. on page 9)



## Safety Data Sheet

### according to UK REACH (SI 2020/1577) as amended

Date of issue: 24.08.2026

Version number: 5.1 (replaces version 5.0)

Revision date: 24.08.2026

Trade name: Super Flocculant

(Contd. of page 8)

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors**

None of the ingredients are listed.

- **Regulated poisons**

None of the ingredients are listed.

- **Reportable explosives precursors**

None of the ingredients are listed.

- **Reportable poisons**

None of the ingredients are listed.

- **Per- and polyfluoroalkyl substances (PFAS)**

None of the ingredients are listed.

- **Control Of Major Accident Hazards Regulations 2015 (COMAH)**
- **Named dangerous substances - ANNEX I** None of the ingredients are listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients are listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients are listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients are listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Relevant phrases**

H290 May be corrosive to metals.

H318 Causes serious eye damage.

- **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

- **Department issuing SDS:** Product safety department.

- **Date of previous version:** 19.06.2025

- **Version number of previous version:** 5.0

- **Abbreviations and acronyms:**

UK REACH: REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB CLP: REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

UFI: Unique Formula Identifier

UK- REACH: The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB- CLP: Retained GB CLP Regulation (EU) No. 1272/2008 as amended for Great Britain on the Classification, Labelling and Packaging of Chemicals.

(Contd. on page 10)

GB



## Safety Data Sheet

### according to UK REACH (SI 2020/1577) as amended

Date of issue: 24.08.2026

Version number: 5.1 (replaces version 5.0)

Revision date: 24.08.2026

**Trade name: Super Flocculant**

(Contd. of page 9)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Met. Corr.1: Corrosive to metals – Category 1

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· **\* Data compared to the previous version altered.**

GB